



**POLICE HEADQUARTERS** {Provision Section}  
Phone/Fax No: 0194-2443031/ 2443032 (Sgr)  
0191-2459029/2459255(Jammu )


**JAMMU & KASHMIR JAMMU.**  
Website: [www.jkpolice.gov.in](http://www.jkpolice.gov.in)  
Email: [phqjk@jkpolice.gov.in](mailto:phqjk@jkpolice.gov.in)

**e-tender notice No 10 of 2018**  
**Dated 12.03.2018**

For and on behalf of the Governor of Jammu and Kashmir State, e-tenders are hereby invited from the original manufacturers or their authorized dealers having authorization of the original equipment manufacturer to quote against this tender for the supply of **Containerized Shooting Range and Shoot House** (as indicated in the detailed SBD & BOQs). The download of the NIT shall start on 13/03/2018 at 1600 hours. Tenders shall be submitted online on J&K State e-Procurement Portal [www.iktenders.gov.in](http://www.iktenders.gov.in) before 14.04.2018 upto 1800 hours. The tenders (technical bids only) will be opened online on 17.04.2018 at 1100 hours at Police Headquarters J&K Gulshan Ground Jammu. In case of unforeseen circumstances, the date of opening will be next working day.

A pre bid conference shall be held on 03.04.2018 at 1500 hours PHQ J&K Gulshan Ground Jammu in conference Hall 4<sup>rd</sup> floor PHQ J&K Jammu. Intending tenderers can attend the conference to have their point of view with regard to this tender enquiry.


Detailed tender documents (SBD) with terms and conditions are available on J&K State e-procurement Portal [www.iktenders.gov.in](http://www.iktenders.gov.in) which the intending tenderers may visit for comprehensive details.

  
Mubassir Tatfi JKPS  
(AIG Provision/Transport)  
For Director General of Police,  
J&K-Jammu

No: -WPR-36/e.tender -10of18/2016-17/20623-34 Dated: 13 .03.2018  
Copy to the:-

1. Principal Secretary to Govt. Home Department J&K Jammu

2. All ADsGP J&K
3. All IsGP J&K  
....for favour of information.
4. Director SSG J&K Jammu for favour of information.
5. DIG CKR Srinagar/DIG Jammu-Kathua& Samba Range Jammu.
6. Director Industries Jammu/Srinagar for information.
7. Chief Accounts officer PHQ J&K Jammu for information
8. AIG Communication PHQ J&K Jammu alongwith 02 copies of the Gist of e.tender for publication purpose in 02 widely circulated State & 02 National dailies through information department .
9. SSP J&K CID Cell, 11 Harish Chander Mathur Lane Kasturba Gandhi Marg New Delhi-110001 alongwith 01 copy of the tender for information of intending firms
10. Manager Government Press Srinagar / Jammu for publication of the e.tender in Govt Gazette.
11. In-Charge Police Central Store Gulshan Ground Jammu/ Zewan Srinagar for information.
12. In-Charge IT Centre PHQ/In-Charge e-tendering PHQ for placing the e-tender on the website of J&K Police and J&K Govt. Portal.

  
12.3.2018  
MubassirLatifi JKPS  
(AIG Provision/Transport)  
For Director General of Police,  
J&K Jammu.



**POLICE HEADQUARTERS** {Provision Section} **JAMMU & KASHMIR JAMMU.**  
Phone/Fax No: 0194-2443031/ 2443032 (Sgr) Website: [www.jkpolice.gov.in](http://www.jkpolice.gov.in)  
0191-2459029/2459255(Jammu) Email: [phqjk@jkpolice.gov.in](mailto:phqjk@jkpolice.gov.in)

**e-tender notice No10 of 2018**  
**Dated 12 .03. 2018**

**SBD**

1. For and on behalf of the Governor J&K State, e-tenders are hereby invited from original manufacturers or their authorized dealers having specific authorization from their original manufacturer/s to quote against this tender for the supply of Containerized Shooting Range and Shoot House as detailed in Annexure 'A' to this NIT. The tender notice consisting of qualifying information, eligibility criteria, specifications, bill of quantities (BOQ), set of terms and conditions of the contract and other details can be seen/downloaded from J&K State e-procurement portal [www.jktenders.gov.in](http://www.jktenders.gov.in) from 13.03.2018 from 1600 hours to 14.04.2018 up to 1800 hours.

A pre bid conference shall be held on 03.04.2018 at 1500 hours PHQ J&K Gulshan Ground Jammu in conference Hall 4<sup>th</sup> floor. Intending tenderers can attend the conference to have their point of view with regard to this tender enquiry.

**Note:** Only those firms are required to respond who are either manufacturer/s or their authorized dealers. In case of authorized dealers, a specific authorization letter from the principal manufacturer with reference to this particular tender should be attached. Tenders of approved/ authorized dealers without authorization for this tender (as per format provided in appendix-1) from original manufacturer shall be rejected.

2.	Time/date and place for online opening of technical bid only	<u>On 17.04.2018 at 1100 hours</u> at J&K Police Headquarters, Gulshan Ground Jammu.
	Validity of tender offer	Upto 31.03.2019

3.	<p>All tender documents attached with this invitation to tender including the specifications are <b>SACROSANCT</b> for considering any offer as complete offer. It is important that scanned copies of each page of the <b>tender document duly completed, page numbered and signed is uploaded with your offer in a sequential manner and not haphazardly.</b></p>
4.	<p>The tender fee has been fixed for SSI units of J&amp;K State only Rs 100/- and all other vendors have to pay Rs 2000/- as tender fee in shape of a <b><u>crossed demand draft</u></b> favouring Chief Accounts Officer PHQ J&amp;K payable at Srinagar. The tender fee is not refundable and same will be deposited into Govt Treasury under head 0055-Police for the year 2017-18. The scanned copy of the demand draft should be part of the online bid. The original demand draft should be sent by post to the AIG (Provision/Transport) C/o Director General of Police J&amp;K, Gulshan Ground Jammu along with covering letter in an envelope should have a card affixed to it duly signed and stamped by the firm indicating (a) name of the firm (b) tender No. (c) Date of opening of the technical bids. The local SSI units of J&amp;K State are required to pay the tender fee prescribed as per J&amp;K Govt. rules. However, the Govt/ Semi Govt. concerns of the J&amp;K State claiming exemption shall append copies of the authenticated orders, existence/ registration certificates etc. with regards to the SSI units issued by the competent authority in support of their claim. Tenders without stipulated tender fee shall be rejected.</p>
5.	<p><b><u>Earnest Money Deposit (EMD):-</u></b></p> <p>The intending tenderers will have to send the Earnest Money only in shape of CDR/FDR from any nationalized bank/State owned Banks for an amount of Rs 5000/- for J&amp;K state SSI Unit holders only and for other tenderers Rs 1.00 lac pledged to AIG (Prov/Tpt) PHQ J&amp;K with the tender offer, which shall be valid for one year. The EMD in the case of unsuccessful tenderer shall be released after finalization of Tender, whereas, in the case of successful tenderers it will be adjusted towards security money (required to be deposited) on application, for due performance of the agreed contract/performance during the warranty period. No interest shall be payable by the purchaser on the EMD deposited by the tenderer. The Scanned copy of the CDR/FDR should be part of the online Bid and the original be sent by post to the AIG (Prov/Tpt) C/O Director General of Police J&amp;K Gulshan Ground Jammu alongwith tender fee before the opening of technical Bid. J&amp;K Govt. rules with regard to</p>

	<p>furnishing of EMD in respect of local Registered SSI units of J&amp;K State shall be applicable in letter and spirit. The local SSI units are required to pay EMD prescribed as per J&amp;K Govt rules. For the purpose, SSI units shall have to furnish Registration Certificate INDICATING THEREIN THE DETAILS OF ITEMS AND INSTALLED CAPACITY OF THE UNIT PER MONTH and Functional Certificate of SSI Unit, issued by the competent authority, with their tender offer failing which the benefits of SSI units will not be allowed. The Government/ Semi Govt. or similar other concerns of J&amp;K state, claiming exemption from the payment of EMD shall have to append duly authenticated orders, certificate etc. from competent authority supporting their claims. Tenders without EMD shall be rejected.</p>	
6.	i)Stores required at	FREE DELIVERY AT CONSIGNEE LOCATIONS i.e, (Police Central Store Zewan Srinagar and Police Central Store Gulshan Grounds Gandhi Nagar Jammu. Tenderers are required to quote rates on free delivery at consignee's location basis only. Tenders received quoting rates on FOR Destination Stations/Station of Dispatch basis shall be rejected.
	ii)Dispatch instructions	Stores are required to be delivered at consignee's locations in perfect condition.
	iii)Delivery required	Approximately within 45 days from the date of issue of supply order.
	v)Inspection authority / place of survey	Board of officers, duly constituted by the J&K Police Hqrs, at consignee's premises.
	vii)Payment terms	i. 90% Payment shall be released by the department against consignment delivered, surveyed, and properly brought on the stock in the concerned stock registers of the Police Central Stores. 10% after successful

	installation/commission & survey by the survey committee.
7.	Rates quoted by the firms should be on firm price basis ie including all taxes/duties /freight etc as per clause 9.
8.	<p>i. If approved supplier backs out or fails to supply the goods against supply order within stipulated delivery period ,the department will be at liberty to procure the item from L-2 firm and differential amount between L-1 &amp; L-2 rates will be recovered from the security deposit furnished by the approved supplier and remaining security deposit will be forfeited besides invoking other penalties which shall include black-listing of the firm etc.</p> <p>ii. If approved supplier ,supplies the goods partially against supply order within stipulated delivery period, the J&amp;K Police reserve the right to impose liquidity damage charges upto 5% of the un-supplied store upto first 15 days and thereafter penalty can be increased depending upon the nature of supplies and extent of delay. However, period of delivery may be extended at the absolute discretion of J&amp;K Police provided delay is attributable to the reasons beyond the control of the supplier firm but not attributable to business transactions and also delay is communicated in writing justifying the cause of delay .</p>
9.	Firms shall clearly indicate different taxes, duties, freight & charges which they propose to charge as per the format of Bill of quantity (BOQ) available with the e-tender, moreover online generation of financial comparative (BOQ Chart) is of indicative nature only and not conclusive. The detail
10.	No conditional tender will be accepted/entertained. It will be summarily rejected. No other conditions than those mentioned (in the terms set-forthwith)
11.	Purchaser reserves the right to change the quantity of stores allotted to them.
12.	Purchaser reserves the right to get the manufacturing capacity of all the firms checked /re-verified irrespective of the registration status or any other document/ information to ascertain the capability of the tenderers to supply

	provide post sale service support .																
13.	Purchaser reserves the right to cancel/reject or scrap the tender, with no consequential liability																
14.	<p><b>TWO BID SYSTEM:-</b></p> <p>All bidders are required to submit their offers in two covers online as under:-  (A) FIRST COVER (Technical Bid) is to be uploaded Online and Scanned Copies in PDF format should contain the following documents:-</p> <table border="1"> <tr> <td>i.</td> <td>The tenderer will clearly mention the name of the items for which he has quoted in the covering letter of the tender offer.</td> </tr> <tr> <td>ii.</td> <td>Tender documents (viz technical compliance, brochures/catalogues of the quoted items containing Make &amp; model of the items ,OEM/ authorization certificate, registration/existence certificates of the firms its research &amp; Development Units / SSI Units &amp; performance etc. ) duly page numbered completed and signed BUT WITHOUT INDICATING THE RATES QUOTED.</td> </tr> <tr> <td>iii.</td> <td>Scan copy of the Earnest money.</td> </tr> <tr> <td>iv.</td> <td>Scan copy of Tender Fee.</td> </tr> <tr> <td>v.</td> <td>Technical specifications of the items quoted with catalogue/broacher etc. &amp;deposition of samples (wherever asked)</td> </tr> <tr> <td>vi.</td> <td>Certificate of being authorized dealer having proper and specific authorization (as per format provided in Appendix-I) of the original manufacturer to quote against this tender.</td> </tr> <tr> <td>vii.</td> <td>Authorized dealer having authorization to quote against this tender, shall furnish his registration certificate with central /state sale tax department for that particular item</td> </tr> <tr> <td>viii.</td> <td>Scan copy of the NIT, all pages duly signed &amp; stamped by the tenderer, in token of having understood and accepted the specifications, terms &amp; conditions of the NIT and quoted items should be duly ticked.</td> </tr> </table>	i.	The tenderer will clearly mention the name of the items for which he has quoted in the covering letter of the tender offer.	ii.	Tender documents (viz technical compliance, brochures/catalogues of the quoted items containing Make & model of the items ,OEM/ authorization certificate, registration/existence certificates of the firms its research & Development Units / SSI Units & performance etc. ) duly page numbered completed and signed BUT WITHOUT INDICATING THE RATES QUOTED.	iii.	Scan copy of the Earnest money.	iv.	Scan copy of Tender Fee.	v.	Technical specifications of the items quoted with catalogue/broacher etc. &deposition of samples (wherever asked)	vi.	Certificate of being authorized dealer having proper and specific authorization (as per format provided in Appendix-I) of the original manufacturer to quote against this tender.	vii.	Authorized dealer having authorization to quote against this tender, shall furnish his registration certificate with central /state sale tax department for that particular item	viii.	Scan copy of the NIT, all pages duly signed & stamped by the tenderer, in token of having understood and accepted the specifications, terms & conditions of the NIT and quoted items should be duly ticked.
i.	The tenderer will clearly mention the name of the items for which he has quoted in the covering letter of the tender offer.																
ii.	Tender documents (viz technical compliance, brochures/catalogues of the quoted items containing Make & model of the items ,OEM/ authorization certificate, registration/existence certificates of the firms its research & Development Units / SSI Units & performance etc. ) duly page numbered completed and signed BUT WITHOUT INDICATING THE RATES QUOTED.																
iii.	Scan copy of the Earnest money.																
iv.	Scan copy of Tender Fee.																
v.	Technical specifications of the items quoted with catalogue/broacher etc. &deposition of samples (wherever asked)																
vi.	Certificate of being authorized dealer having proper and specific authorization (as per format provided in Appendix-I) of the original manufacturer to quote against this tender.																
vii.	Authorized dealer having authorization to quote against this tender, shall furnish his registration certificate with central /state sale tax department for that particular item																
viii.	Scan copy of the NIT, all pages duly signed & stamped by the tenderer, in token of having understood and accepted the specifications, terms & conditions of the NIT and quoted items should be duly ticked.																

	ix.	Performance statement /turn over for last two years as APPENDIX-III of this NIT.
	x.	Acceptance of Warranty/guarantee of the items.
	xi.	Acceptance regarding delivery within the stipulated delivery schedule.
	xii.	PAN no/VAT/TIN No. Self-attested photocopies thereof be appended.
	xiii.	Check list for tenders as per APPENDIX-III of this NIT.
	xiv.	Any other relevant document which the firms wishes to submit
	xv.	Supply orders placed by different Govt. organization with said firm for supply /installation of above mentioned systems.
15.	) (B) SECOND COVER (Commercial/Price Bid) should contain the following:-	
	i.	Rate quoted by the firm should be on firm price basis as per Bill of Quantities (BOQ) of the e-tender to be downloaded from the website and Rates should be carefully quoted offline and then uploaded  (Note) J&K Police does not issue Road Permits, Concessional Forms, state entry tax or Octroi etc exemption certificates, as such; Rate quoted shall be F.O.R Consignee.  The Zero basic cost quoted for any item in BOQ will be treated as Nil Quoted
	ii.	Rates quoted shall be final till the validity of the contract i.e. upto 31.03.2019 with provision of further extension if finally approved by competent authority.
16.	On due date of opening of tenders i.e. 17.04.2018 at 1100 hours, technical bids only shall be opened and technical evaluation process shall start. Those who qualify the technical bid on a/c documents uploaded by them shall be informed to arrange demo to complete technical evaluation. Thereafter participating firms shall be informed online with regard to opening of	



	financial bids of the technically qualified firms.
17.	<p><b>Security Deposit</b></p> <p>The approved tenderers will have to supply the articles as per approved rate, approved sample and specification till the validity of the contract. They will have to furnish security deposit @ 5% of the total value of the items contracted for and for DGS&amp;D Rate Contract based supplies the security deposit will be 2%, in the shape of CDR/FDR issued by a Nationalized/Scheduled Bank pledged to AIG Provision &amp; Transport PHQ J&amp;K Jammu, at the time of signing of Deed of Agreement to ensure satisfactory performance of the equipment supplied, for Warranty period from the date of acceptance of products. This security deposit will be released in due course after expiry of specified warranty period/agreed contract. The charges on stamps etc. (cost of documents in totality) shall be borne by the supplier while executing the agreement. (No interest shall be paid by the purchaser on the Security deposit). J&amp;K Govt Rules for Security Deposit in respect of local SSI Units shall be applicable</p>
18.	<p><b>Guarantee/Warranty</b></p> <p>Except as otherwise provided in the invitation to the tender, the contractor hereby declares that the goods, stores, articles sold/supplied to the purchaser under this contract shall be of the best quality and workmanship and new in all respects and shall be strictly in accordance with the specifications and particulars contained/ mentioned in the contract. The contractor hereby guarantees that supplied goods/stores/articles would continue to conform to the specifications and quality for a period of 05 years, from the date of acceptance of supplies by the purchaser. If during this , supplied stores/goods/articles be discovered not to conforming to the specifications and quality or not giving satisfactory performance or have deteriorated, the decision of the purchaser in that behalf shall be final and binding on the contractor and purchaser shall be entitled to call upon the contractor to rectify/replace the goods/stores/articles or such portion thereof by the contractor and in such an event, the above mentioned warranty period shall apply to the goods/articles/stores rectified/replaced from the date of</p>

	<p>rectification/replacement thereof. In case of failure of the contractor to rectify or replace with the goods etc within specified time, the purchaser shall be entitled to recover the cost with all expenses from the contractor for such defective stores by the available means.</p> <p>The approved vendor shall have to enter into AMC with the department on mutually agreed rates and terms and conditions.</p>
19.	<p><b>Liquidity Damages</b></p> <p>Successful tenderer shall have to make the supplies within stipulated period as would be mentioned in the supply order.</p> <p>J&amp;K Police reserves the right to impose liquidity damages of 5% of the cost of unsupplied stores which shall depend upon the nature of supplies and extent of delay. However, period of delivery may be extended, at absolute discretion of J&amp;K Police provided the delay is attributable to reasons beyond the control of the supplier but not attributable to business transactions and provided delay is communicated in writing justifying the cause of delay.</p>
20.	<p>The supplies delivered by the successful tenderer shall be surveyed and verified by the J&amp;K Police at Police Central Stores Jammu/Srinagar, as the case may be</p>
21.	<p>As soon as the acceptance of the tender is communicated to the successful tenderers online, the contract shall be binding on him. The earnest money of the tenderer who backs out or withdraw his tender or fails to abide by it after acceptance thereof is communicated/posted to him shall be forfeited besides other penal remedies that may be available to the Govt. of the J&amp;K under the law for the time being in force in the State of J&amp;K.</p>
22.	<p>The successful tenderer shall have to enter into an agreement on prescribed proforma (immediately after the issue of supply order) with the Department for due performance of the contract which shall be invariably furnished before the supply is made.</p>

23.	The tenderer is required to furnish an authenticated copy of GST clearance certificates (alongwith the tender offer or at the time of payments) for the year 2016-17. The PHQ shall be at liberty to put to scrutiny, verification etc. the GST clearance so furnished by the successful tenderer.
24.	The authorities reserve absolute powers to reject or accept any tender or part thereof without assigning any reason and without any legal obligations. Any clause incorporated in the tender (not conforming to the NIT in any manner) shall make such an offer liable for rejection. Therefore, all the terms and conditions of the tender Notice including technical specifications shall be carefully studied for the sake of complete and comprehensive tender. Failure to comply with any of the conditions stipulated in the tender or instructions or the offer with insufficient particulars/documents shall lead to out-right rejection of the tender offer.
25.	After the registration/placement of orders/execution of the agreement and formally depositing the security money, in case the tenderer backs out or fails to supply the goods, the security deposited will be forfeited besides any other penal provisions, the department may decide as per norms.
26.	The formal deed incorporating the terms of the contract will be executed by the successful tenderer immediately after receipt of supply order. Failure to execute such bond/deed shall not however prevent the contract from being enforced against the tenderer. Any loss sustained by the Govt. as a result of re-tendering the contract shall be recovered from the defaulter, besides other penal provisions as the department may decide.
27.	<p>Delivery of Goods</p> <p>Goods shall be delivered (as per instructions in supply order) at Police Central Store, Gulshan Ground, Gandhi Nagar, Jammu and Police Central Store, Zewan, Srinagar as the case may be duly packed in perfect condition. The supplier if he so desires may insure the goods against loss or theft, destruction, damages by the natural calamity loss by exposure to weather or otherwise viz war rebellion, riot etc. The insurance charges will have to be borne by the supplier and the department shall not pay such charges.</p>
28.	If the successful tenderer fails to supply the goods of the prescribed


	specification or fails to deliver the goods within stipulated period as specifically mentioned in the supply order, the department shall be at liberty to arrange supplies by re-tendering or otherwise at the risk and cost of the tenderer. The department shall be lawfully entitled to forfeit the amount of the EMD/security money and take penal action to make good the loss sustained or excess cost incurred by the state in arranging of the supplies and other remedies that may be available with the department, under law .
29.	Either the original manufacturer or his authorized dealer can participate for a particular item or sample(s) only. Tender offers where both original manufacturer and his authorized dealer participate for the same items the tender of OEM shall be considered and tender of the dealer/ distributor shall be rejected
30.	If at any stage of the tender process two or more bidders are found in collusion between /among themselves with the intent to reduce competition, set price, share technical expertise ,share business information /decision ,control/share production and or distribution of products and raise prices ,all such tenders shall be out rightly rejected.
31.	If at any stage of tender process any bidder/s is/are found influencing any Government Servant associated with or handling the tender process and supplies thereof, bid of such tenderer/s shall be rejected besides invoking penal action under rules.
32.	All legal proceedings arising out of any dispute between the parties shall have to be settled in the Courts situated in Srinagar and Jammu and not elsewhere
33.	It shall be incumbent upon the supplier to provide entire supply, in conformity strictly as per the specifications provided in the NIT/supply order & demo. Supplies found deficient in quality /quantity viz-a-viz supply order shall be rejected. Penalty/damages would be imposed and recovered from the bidder as per terms and conditions indicated in the supply order.
34.	The supplier shall not sublet the contract or any part thereof to any other agency
35.	The decision of the accepting authority shall be final as to the quality of stores and shall be binding on the supplier. In case the articles supplied are not

	according to the approved sample & specifications they shall be rejected and at our absolute discretion, rejected stores may be allowed to be made good by way of replacement. The loss caused due to rejection of the supplies shall be entirely borne by the supplier. The rejected articles shall be lifted by the supplier within one week from the date of rejection. The department shall in no case be responsible for any loss or damage that may occur to the rejected stores while these are in the premises of the purchaser.
36.	The Department reserves the right to add or suitably modify the terms and conditions (without prior notification) as per exigencies and hence above shall not be construed as all inclusive.
37.	Bidders submitting their bids on-line shall only be accepted and manual bids shall be rejected and no document other than mentioned in the NIT shall be accepted manually.
38.	PHQ may call any bidder at any stage of the tender process for seeking any clarification.
39.	Queries /representations on tender enquiry should receive 10 days before pre bid conference which would be clarified during pre-bid conference and point of view of participating firms shall be heard and clarifications/modifications if required would be placed on the tender portal before opening of the technical bids. All queries/representations received after pre bid conference shall not however be entertained.
40.	The bidder should furnish an undertaking APPENDIX-II of this NIT stating that he /she is not connected in any manner with any other bidder in this tender with respect to manufacturing ,distribution, supply, in sharing business information/documents price of the item etc. for the items quoted in this bid. If this is found to be incorrect, his/her tender would be rejected.
41.	The detailed NIT, SBD and BOQ is available on J&K State e-Procurement portal <a href="http://www.jktenders.gov.in">www.jktenders.gov.in</a> .

  
Mubassir Latifi JKPS

**(AIG Provision/Transport)**

For Director General of Police,  
J&K-Jammu

  
10/3/13

APPENDIX-I

MANUFACTURER'S AUTHORIZATION LETTER/CERTIFICATE:

To,

The Director General of Police

J&K, Jammu.

Subject:- \_\_\_\_\_

Sir,

Please refer to your e-tender enquiry (NIT) No-10 of 2018 dated 12. 03.2018.

1. We \_\_\_\_\_ are proven and reputable Manufacturers of \_\_\_\_\_ (name and description of the goods offered in the tender) having factories at \_\_\_\_\_ hereby authorize M/s \_\_\_\_\_ (name and address of the agent) to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred tender enquiry documents for the above said goods manufactured by us.
  
2. We also hereby extend our full warranty, CMS, support as per the conditions of contract, read with modifications, if any, in the special conditions of contract for the goods and services offered for supply by the above firm against this tender enquiry document.

Yours faithfully,

Signature with date, name and designation

For and on behalf of M/s \_\_\_\_\_

(Name and address of the Manufacturers)

Note:-

- a. This letter should be on the letter head of the manufacturing firm and should be signed by the person who is competent having the power of attorney.
- b. Scan copy of the original letter must be attached with tender documents.

## APPENDIX-II

Reference e.NITNo 10 of 2018 dated 12.03.2018.

To,

The Director General of Police  
J&K, Jammu.

Sir,

1. I \_\_\_\_\_ hereby state that I am not connected in any manner with any other bidder in this tender with respect to manufacturing distribution, supply, in sharing business information/documents and price of the items etc. quoted in this bid.
2. I further state that if this is found to be correct, the police department is at liberty to reject my tender.
3. I further certify that my concern has neither blacklisted nor banned by any central or state organizations to participate in tendering process.

Yours faithfully,

Signature with date, name and designation

For and on behalf of M/s \_\_\_\_\_

(Name and address of the tenderer)

Note:-

- a. This undertaking should be on the letter head of the tenderer firm and should be signed by the authorized person.
- b. Scan copy of the original letter must be attached with tender documents.

**APPENDIX-III**

**Performance statement for last two years**

Name of the firm	
Description of stores	
Quantity on order	
Value	
Original D.P	
Quantity supplied within original D.P	
Final ExtD.P.	
Last supply position.	
Reasons for delay in supplies ( if any)	
Past performance in % age upto 2 crores	
Past performance in % age above 2 crores	

Signature of Tenderer



**APPENDIX-IV**

**General instructions/CHECK LIST FOR TENDERERS;**

**Before submission of tender documents, the tenderers should check whether they have complied with the following requirements or otherwise:-**

<b><u>S.No</u></b>	<b><u>Requirement to be checked before submission of the tender</u></b>	<b><u>Complied</u></b> <b><u>(Please indicate YES or NO after complying with the requirement.)</u></b>
1.	The tenderers for their own ease shall fill in relevant details of NIT offline & upload the same after ensuring accuracy	
2.	Whether tender fee scan copy is enclosed, with the technical bid?	
3.	Whether Earnest Money Deposit (EMD) scan copy is enclosed with the technical bid?	
4.	If an SSI Unit of J&K State, the same is indicated in the tender and scan copy of the valid registration/functional certificate is enclosed or not?	
5.	Whether list of the quoted items with name, make, model and catalogue/brochures of the quoted items are uploaded with technical bid?	
6.	Whether scanned copies of complete tender documents are up-loaded in the technical bid duly signed having official seal on all pages or not. However, the quoted items may be also be ticked?	
7.	Whether tender documents are submitted in two bid system i.e. Technical and Financial Bids separately as per tender enquiry or not?	
8.	Wherever asked to deposit the samples, whether sample conforming to the specifications has been deposited with Central Store Srinagar/Srinagar (as asked for in the specifications of item)?	

9.	Whether offer validity as required in tender enquiry is accepted and indicated in your tender document or not?	
10.	Whether terms of delivery and period as required in tender enquiry is accepted and indicated in your tender document or not?	
11.	Whether payment terms as required in the tender enquiry is accepted and indicated in your tender document or not?	
12.	Whether compliance statement in the format as required in tender enquiry is enclosed with the supporting catalogue/ brochures?	
13.	Whether performance statement for last 2 years as required in tender enquiry in the format is enclosed or not. If not, reason thereof is given?	
14.	Whether warranty period as required in the tender enquiry is accepted or not?	
15.	Whether details of AMC condition after warranty period (wherever applicable) is included in the price bid or not, if required in the tender enquiry?	
16.	(a) Status of tenderer as to whether manufacturer or authorized agent of the manufacturer is indicated in the tender document. If authorized agent/dealer, valid authority letter for the stores offered from the manufacturer is enclosed or not.	
17.	If called for in the T.E. whether acceptance of functional demo/field trial clause, (whenever asked) is specified in your tender document or not?	
18.	If called for T.E. whether free training about use of equipment after supply, is accepted or not?	
19.	Whether indicated in the tender document, if your firm's business dealing is banned by any Govt/Private agency or recommended for blacklisting or not?	
20.	The complete commercial quote should be in Indian Rupees only. Currency of price should be clearly mentioned (wherever applicable).	

21.	Tenderers are required to indicate Basic Rate, Custom Duty, Excise Duty, GST and any other leviable taxes/charges separately in the relevant columns of the BOQ.	
22.	Entry Tax/Octroi/Toll Tax and other Statutory Taxes will be applicable at actual supported by the original documents , if admissible	
23.	Tenderer will attach justification of price quoted which should include the recently executed contracts of the store in question with Govt/Semi Govt Organizations etc.	
24.	No column should be left blank. Wherever amount is not quoted, the column should be clearly marked as 'Nil'.	

**List of sensitive and non sensitive documents**

S. No	Sensitive Documents part of Technical bid	Non Sensitive Documents
1.	Valid registration certificate/industrial license of original manufacturer for the items quoted	Performance statement of two years
2.	Valid authorization letter of original manufacturer in case of approved dealer	Govt. supply orders for same if any
3.	Valid registration certificate of approved dealer with central/state sales tax department for the items quoted	Income tax clearance
4.	Test report, if required/asked for	
5.	VAT clearance	
6.	SSI unit -registration certificate (local SSI units of J&KState only)	
7.	SSI unit - functional certificate (local SSI units of J&K State only)	
8.	Scanned copies of EMD and Tender Fee	
9.	Scanned copy of NIT duly Signed & sealed	

**Annexure (A) of e.tender Notice No 10 of 2018 dated 12.3.2018**

**Item No 01:- Containerized Shooting Range 40 feet's**

**Qty 02 No**

- I. Require a turnkey solution for 40 Feet Containerized Shooting Range (CSR) having software capability of decreasing /increasing Firing Range upto 300 meters .
- II. It should be self-contained marksmanship training facility.
- III. The whole structure should be modular in nature. It should allow setting up a shooting range at any place.
- IV. it should provide a flexible alternative to traditional outdoor shooting range.
- V. It should be an air conditioned shooting range which could be utilized 24x7, when and where it is needed.
- VI. It should be easily transportable to any location, should be able to set up temporarily or permanent at any location.
- VII. There should have a world class standard for live firing shooting range.
- VIII. Warning light should remain switched on when firing session is in progress
- IX. A safety warning light shall remain on till the butt end is not in place and secured.
- X. The firer should be able to fire in standing ,kneeling and lying positions
- XI. The CSR should be safe for live firing of 7.62 mmX51 mm,7.62 mmX 39 mm, 5.56mm X45 mm Ball ammunition of upto 0.5 in caliber and any other equivalent or intermediate calibers of up to 1000 m/s muzzle velocity and also 9 mm X 19 mm ,00.32 in ,0.45 and equivalent hand gun or carbine ammunition except tracer and armour piercing ammunition , in single shot and in automatic mode.
- XII. It should have Electronic Multi-Function Targets and Virtual Targets systems
- XIII. It should have Bullet Traps
- XIV. It should be Sound Proofing
- XV. It should have Anti---Ricochet Treatment
- XVI. It should have Control Station
- XVII. It should be Environment Control – Ventilation System with Air Conditioning
- XVIII. It should have Lighting, Fire Fighting, Emergency Exit etc
- XIX. It should have Sign Posting feature
- XX. It should have shooting distance of 25 meters
- XXI. It should have 04 firing positions/booths having facility for 04 trainees at a time.
- XXII. System should have separate ballistically protected shooting booths
- XXIII. The dimension of the container should be at least 40 feetX8feetX9 feet.
- XXIV. The rubber blocks, rubber panels and acoustic panels should be of world standard and fire retardant.
- XXV. It should have anti fatigue and ricochet tiling
- XXVI. It should have Sound abatement and anti ricochoet treatment Walls / Ceiling
- XXVII. It should have armoured bullet trap rated upto7.62 mm
- XXVIII. It should have 100% inlet of fresh air. 100 % exhaust, No recirculation of air,Air conditioned, the speed of air should be maintained at 55 feet per minute.

- XXIX. It should have Roof Mounted Moving Target Systems with wireless Control and various movements such as pop up and rotate.
- XXX. It should have Virtual Target System with Thermal Cameras
- XXXI. It should have a Control Panel and all targets should be controlled by a Portable wireless ruggedized controller;
- XXXII. There should be Electronic Panel at entrance for ventilation and lights
- XXXIII. It should address the problem of live Fire Shooting in a safe environment without creation of fixed infrastructure.
- XXXIV. The system should have warranty of 05 years
- XXXV. The approved supplier shall be bound to provide AMC after expiry of 05 warranty period on amicably settled rates and the approved supplier shall ensure availability of spares for smooth maintenance of the system at least for 10 years .
- XXXVI. It should be an ISO Certified solution.
- XXXVII. Systems should be easy for maintenance at the target end.
- XXXVIII. The approved supplier shall have to install the system within offered cost & provide training to the user to their entire satisfaction
- XXXIX. System should capable of displaying and recording the following data:-
  - a. Should be able to give shot location on the target
  - b. Should be able to give possible score, aggregate score
  - c. Should be able to indicate mean point of impact
  - d. Should be able to indicate type of exercise in progress
  - e. Should be able to show group size and MPI
  - f. Should be capable of furnishing "X" and "Y" coordinates of the shots
  - g. Should indicate the lane operation status
  - h. Should be able to all grouping and zeroing
  - i. Should have options for zoom in and zoom out and panning of the target on the screen
  - j. Should be able to replay the exercise.

**Item No 02 SHOOT HOUSE**

**Quantity 01 No**

1. The Shoot House should be Zero Danger Area indoor ballistically safe for the trainees as well as those outside the facility.
2. The Shoot house is required to be designed in such a manner that it is able to contain all types of bullets fired in 360 Degrees (In horizontal or Target plane) and does not allow escape of any bullet or shrapnel. It should be completely safe from ricochets and 'Back Splash' thus enabling fire from point black ranges with safety for the firer.
3. Shoot house should be safe & capable for live firing of rifles firing 7.62 mm x 51mm, 7.62mm x 39mm, 5.56 mm x 45mm Ball ammunition of up to 0.5 in calibre and any other equivalent or intermediate calibres of up to 1000 m/s muzzle velocity and also 9mm

x19mm, 0.38 in, 0.32 in, 0.45 and equivalent hand gun or carbine ammunition except tracer and armour piercing ammunition, in single shot and in automatic mode.

4. Bullet stops are designed to contain all types of small arms bullets fired into Buss Stop without danger of backsplash and ricochet.
5. Ricochet Safety:-All walls and floor shall be so constructed and protected so as to avoid any chance of ricochet and back splash. Any bullet impacting the walls should be contained within the specially designed anti- ricochet ballistic panelled walls.
6. **Sign Posting**:- All necessary sign posting shall have to be provided and installed by the approved firm to ensure safety and inform/warn all users about health, safety and operating aspects and Safety Operating manual is to be provided.
7. The approved supplier has to design the Shoot House with modern and versatile array of target system as follows:-
  - a) **Multi-Function Smart Target.** These targets may be activated by **Motion Sensors or/and Proximity Sensors** triggered by the trainee's movement or be operated remotely by the instructor or be operated from the control room. The targets feature of various Targets may be configured for behavior as per user requirements such as pop-up, **slice or Friend or Foe or Hostages** and hits on all targets would be recorded accordingly. For example, for a particular exercise, the target may be configured to pop up on activation and again drop down within, say, two seconds. Hence, the trainee/firer has to correctly engage the target within intended time thus offering reflex training and realism. Similarly, three targets may pop up of which one may be friend and the other two foes; and the trainee/s would have to engage the correct targets within 'UP' time and not shoot the friend. He may have to 'Judge' to make the correct choice to shoot, hence judgment training targets may also be configured. The Targets system should significantly promote **training value and realism.**
  - b) **No Ammunition Practice**:- The shoot house should provide facility to carry out training for an operation without use of Live Ammunition. Which should be achieved by the use of laser based attachments to the weapons and laser sensitive targets across the shoot house. This type of practice should help in determining the reaction time of the user and facilitates two sided engagement training. This facility is required for training purpose to save the cost of ammunition.
8. **Recording and Scoring.** Shoot House should have the ability to record all hits and misses, (of both live as well as laser firing), instantly and also display them on instructor station and control room. Other than just hit/miss, the Shoot House must have unique feature of "Scoring" the performance of the trainees based on parameters which may be configured by the user himself. Parameters which the system can measure are response time to shoot, **alertness, quick reflexes, judgmental shoot/not shoot parameters/**

whom to shoot between friend and foe, Terrorist/Hostage, reaction of trainee if he shoots hostage by error, co-operation within the teams under training etc.

9. **Two Sided Realism:-**All combat is two sided or opposed. However, while using live ammunition, it would not be feasible to have an opposed setting. The Shoot house thus should have most unique facility of Force on Force Laser Enabled Shoot House. Wherein, certain parts of the firing mechanism may be removed from service weapons, and Laser Shooting components be attached. Thus as normal service weapons may be fitted with Eye Safe Laser Units and sensors, and the shooting participants wear sensor enabled harnesses as do the Foes and friendly elements within the shoot house. Hence, most realistic two sided training is to be facilitated by the Shoot House. While practicing in this mode the instructor should be able to see who all have fired, at what time and on which target, hence alertness, quick reflex actions etc. All the action can also be recorded for later analysis and review.

10. **Laser Enabled Shoot House** A full set of Ten (10) Laser Projector kits, harnesses, Umpire Gun and all associated equipment will have to be provided by the approved supplier with the Shoot House to facilitate Two sided Realism training.

11. **Control Room.** Shoot House shall feature a highly enabled control room. The key functions of the controlled room must be as under:-

- a. **Recording and Display.** The Control Room should have the ability to record all hits and misses, instantly and also display them on various display panels. Each trainee needs to be accounted for individually, or team or sub-unit may be recorded, collated and analyzed at the control room.
  - b. **After Action Review** The Control Room shall facilitate after Action Review by analysis and re-play of various training sessions and by overall performance and scoring of individuals, teams and sub-units.
  - c. **Control of Training.** The control room must have a fully enabled PA audio system and video monitoring system to facilitate passage of instructions and control of trainees. The instructor shall also have a two-way communication with the control room.
  - d. **Target control** All targets in the Shoot House need to be controlled by the Control Room.
  - e. **Power, Ventilation, Fire Safety and Lighting Control:-**All power supply, ventilation, Fire Safety and lighting systems need to be controlled from the control room. Scenarios requiring low light or bright strobe lights and all illumination etc may be controlled from the control room. Emergency lighting be also installed.
12. **Fire Safety:-** The Shoot House should have appropriate fire safety system as per Indian standards.
13. **Acoustic Levels:-** The high decibel sound of discharge of ammunition is to be attenuated by the special rubber wall, acoustic panelling and floor tiling which should

act as sound attenuators. Besides this appropriate best quality and Rated Acoustic Head Phones are provided.

14. **Power Supply:-** The Shoot House requires 230 Volts AC for all functions. A stand by generator is also to be provided with the system. To run all computer based systems, video/audio systems, displays and peripherals smoothly .The system should be supported with at least 3 KVA online UPS system protected with spike protection
15. **Customization of Interior, Exterior and Props.** The Shoot House may exactly suit the user friendly operating environment requirement.
16. **Maintenance Stores.** The approved supplier have to ensure availability of appropriate spares and stores for maintenance of the range and its all component after warranty period
17. **Maintenance and Warranty.** The shoot house shall be under warranty for a period of 05 years which shall began on its commissioning .The approved shall have to enter into AMC with the department after expiry of warranty period on mutually settled AMC rates.

**Brief specifications shall be as under:-**


1	The Shoot House should be a Secure and ballistically safe facility for live firing training in room shooting environment
2	J&K Police initially intend to have Shoot House comprising of Two Rooms. Rooms should be of 13 Feet x 10 Feet with one corridor. The height of walls should be 8 Feet's. Ideally Shoot House may have 'Roof' open able at some points .However, suggestions of the intending firms shall also be analyzed during pre-bid conference.
3	Shoot House should have an Observation Catwalk above the Rooms so that an observer or instructor may be able to monitor shooting practices
4	The Shoot House should be configurable to look like real training house, office etc. to give realistic training environment. Accordingly it would have furniture, props, cupboards, trap-doors etc. which should be safe and of anti-ricochet material
5	<p><b>Safety.</b> The Shoot House should be completely safe for the trainees inside the facility as well as outside the facility.</p> <ol style="list-style-type: none"> <li>a) It would have ballistically protected walls and target stop butts that can contain the firing of standard bore service rifle ammunition as well as all hand guns and carbine weapons to include 7.62mm x 51mm, 7.62mm x 39mm, 5.56mm x 45mm, .308/.306 in, 9mm x 19mm, .32, .38 and .45 in and equivalent hand gun ammunition; Except tracer ammunition and Armour Piercing ammunition.</li> <li>b) It would not allow the escape of any fired bullet or ricochet or shrapnel fired in any direction including towards the floor, and upward direction towards the sky.</li> <li>c) In any case, there would be no ricochet or Back Splash from the bullet traps or the walls, doors, windows or any props or furniture provided by the Vendor</li> <li>d) All material used for Bullet Catch/stop, anti-ricochet panels, armour steel etc. should meet</li> </ol>



	<p>appropriate international standards/specifications.</p> <p>e) The Shoot house should have appropriate safety sign posting/warning boards/instruction boards as required. A safety Manual shall be provided with the system.</p>
6	<p><b>Targets.</b> The shoot house shall facilitate maximum possible realism for indoor urban combat situations. The Targets would have following features :-</p> <p>a) Would have facility to appear suddenly, may be from below or sideways. Similarly, the targets would have facility to 'disappear' again after few seconds, so that trainee has limited time to engage the target. The time of such exposure would be definable by the 'Instructor' or User.</p> <p>b) Different targets would have pop-up, swivel/slicing and horizontal movements.</p> <p>c) Target array would be able to depict different friend &amp; Foe, hostage/captor type of situations.</p> <p>d) The System would be able to record the reflex time of each shooter for above reflex targets and generate a 'Reflex' score or an 'Alertness' score.</p> <p>e) The targets would enable depicting a friend and foe situation wherein 'Shoot/not shoot' and 'whom to shoot' judgment is exercised. This judgment performance would be recorded for analysis and training review.</p> <p>f) The actuation for Target exposure/disappearance/movement should be either manually triggered by accompanying instructor, or from the control station and/or based on motion or/and proximity sensor that will detect the movement of the trainee. All three types of target activation systems would be available but may be in different targets.</p> <p>g) For Practice with Laser Enabled weapons, targets would sense the laser hits and function accordingly. The system would be able to ascertain record and display the hits on such targets along with the time of hit so as to measure the reaction time for scoring for Reflex Shooting.</p>
7	<p><b>Video Monitoring System.</b> The Shoot House would have a Video Monitoring System that can monitor all the rooms and targets within the Range and the waiting area and the entry/exit areas around the Range. Monitor able from the Control Room.</p>
8	<p><b>Control Station.</b> The shoot House would have a control station. The Control Station would have Training functions and Safety cum administrative functions as under :-</p> <p>a) Control Station would be able to control every target in the range and record hit/miss and activation data of each target.</p> <p>b) Control Station would be able to record details of every trainee and performance.</p> <p>c) Control Station would have the facility to measure the reflex or reaction time and judge mental shooting data of every trainee and collate the same for teams and sub-units.</p> <p>d) Control Station would have the facility of all such data capture, recording, collation, analysis, query, retrieval and display.</p> <p>e) In case of Laser Based Training also, the Control Station would be able to map the performance</p>

	<p>of every individual and team including measurement of reflex shooting.</p> <p>f) <b>Scoring.</b> The Control Station would be able to compute the Hit/Miss, Alertness/Reflex Shooting, and Judgemental Shooting <b>Score</b> of every individual trainee and of teams/squads as well. Default parameters for such '<b>Scoring</b>' would be provided by the Vendor but would be customizable by the User, from the Control Station.</p> <p>g) The control room would have PA two-way audio system and video monitoring system to exercise safety and control functions over all personnel inside and outside the shoot house. The Control Room Instructor would be able to view each trainee on his Monitor and address trainees inside the range as well as waiting trainees also. The Audio and video system would facilitate safety functions.</p> <p>h) The Control Room would have the facility to carry out pre-action briefing and After Action Review for the trainee audience as well as instructors and observers.</p> <p>i) The control room would be able to control all lighting, safety, security/access and power systems of the Shoot House .</p>
9	<p><b>Instructor Unit.</b> The Shoot house would have the facility of at least Two Instructor Units. The Instructor Unit would enable the instructor to control targets in the shoot house. It would have a two-way communication with the control station. It would have a microphone based public address system to exercise control on the training.</p>
10	<p><b>Laser Based Training Facility.</b> The Shoot house would have a facility for Two-sided practice for better realism, wherein all trainees/Foes use Laser Projector Fitted Weapons instead of live ammunition firing. This Laser based facility would be used for practice of the shoot house using Laser Sensitive targets also. The Vendor would provide a complete set of 10 such kits with requisite associated equipment/peripherals.</p> <p>a) The Friend/foe and civilian participants also have similar Laser fitted weapons.</p> <p>b) All participants wear Sensor Jackets/ Harness set (including head unit) that will sense the Laser and give Hit/Miss detection. The Sensor jacket would be able to distinguish between Killed/injured/near miss and deactivate the weapon accordingly only.</p> <p>c) Once any participant is 'Hit' by the laser, his weapon would be disabled and he would be forced to lie down as if actually hit.</p> <p>d) All these aspects would be recorded at the Control Room.</p> <p>e) The Laser would be eye safe laser for point blank range.</p> <p>f) The Laser would be attachable to normal service weapons and would not require any special purpose weapons.</p> <p>g) The Laser would be activated either by blank round firing or even without blank fire but by some other means, Such as trigger press or/and gas/air pressure activation.</p> <p>h) The Laser Projectors shall be interchangeable and adaptable to all the weapons commonly in use.</p>
	<p>j. There would be an Umpire Gun to exercise close control and umpire functions.</p> <p>k) Complete List of Equipment and Operating cum Maintenance Manual would be provided by the approved supplier.</p>
11	<p><b>Acoustic Dampening.</b> The anti-ricochet panelling in the Shoot house would have acoustic dampening properties also to attenuate the sound of the discharge of the weapons.</p>

12	<b>Fire Safety.</b> All the bullet stops, anti-ricochet panelling, acoustic dampening panelling, furniture, props, targets etc would be fitted with the Shoot house to enhance fire safety. All rubber panels and materials would be of fire retardant material. Adequate fire safety and fire-fighting systems would be installed.
13	<b>Maintenance and Warranty.</b> The vendor would have to provide 05 Years On-site Warranty for the entire shoot house and all systems therein and after expiry of warranty period the vendor shall have to enter into AMC with the department on mutually agreed rates and terms and conditions.
14	<b>Training.</b> The Vendor would undertake the on-site training of nucleus staff on aspects of functioning, safety, tactical training and Maintenance to personnel of J&K Police . Appropriate Operating, Maintenance and safety manuals must also be provided by the vendor.
15	<b>Power Supply.</b> The Shoot House would operate on common Power Supply i.e. 220-240 Volts AC. A standby generator with adequate capacity for all the functions of the shoot house would be provided by the vendor with the system.  All computer based systems, video/audio systems, displays and peripherals would additionally shall be supplied by 03 KVA online UPS and protected with spike protection.

  
 12.3.2018  
 MubassirLatifi JKPS  
 (AIG Provision/Transport)  
 For Director General of Police,  
 J&K-Jammu