

Phone/Fax No: 0194-2443031/ 2443032 (PROVISION SECTION) ) 0191-2459029/2459255(Jammu)

(Sgr)Website:www.jkpolice.gov.in Emaiphqjk@jkpolice.gov.in)

JAMMU & KASHMIR SRINAGAR.

## **Amendment Notice**

Pursuant to the clarifications of pre bid conference gueries received from DPT amendments as per Annexure A and B of this notice are hereby made in e-tender No 36 of 2019 dated 26.06.2019 floated for procurement of Communication items /accessories .The intending firm may visit J&K tender procurement portal www.jktenders.gov.in for detailed information.

Further, to provide sufficient time after placement of amendments, the last date for submission of tender /online opening of technical bids are hereby extended as under :-

- 1. last date for submission of tender 17.08.2019 upto 1800 hours
- 2. Online opening of technical bids 19.08.2019 at 1100 hours However, other contents of the tender shall remain unchanged.

sd/-Mubassir Latifi JKPS (AIG Provision/Transport) For Director General of Police, J&K-Srinagar .07.2019

31

Dated:

No: - Prov-II /WPR- 01/2019-20/47/0/-/6

Copy to the:-

Principal Secretary to Govt. Home Department J&K Srinagar 1.

All ADsGPJ&K 2.

- All IsGPJ&K....for favour of information. 3.
- DIG CKR Srinagar/DIG Jammu-Kathua & Samba Range Jammu. 4.
- Director Police Telecom J&K Srinagar for information. 5.
- Director Industries Jammu/Srinagar for information. 6.
- FA/Chief Accounts officer PHQ J&K Srinagar for information 7.
- Manager Government Press Srinagar / Jammu for publication of the amendment notice 8. in Govt Gazette.
- SSP J&K CID Cell, 11 Harish Chander Mathur Lane Kasturba Gandhi Marg New Delhi-9. 110001 along with copy of the amendment notice for information intending firms.
- 10. AIG Communication PHO J&K Srinagar for information with the request to arrange publication of Gist of the amendment notice in 02 leading State dailies and 01 national daily through information department.

11. In-Charge IT Centre PHQ/In-Charge e-tendering PHQ for placing the e-tender on the website of J&K Police and J&K Govt. Portal.

12. File for record

Mubassir Látifi JKPS

(AIG Provision/Transport) or Director General of Police,

J&K-Srinagar

## Annexure 'A" of Amendment Notice

	Annexu	ıre 'A	" of Amendment Notice				
					fications	Anr	nended contents
stabile Co	ommunication India Pvt. Ltd Del	ohser	vation/Amendments	Ų	\		·
	Existing	Reau	ested				be read as i, Il & iii
S.No. as por	LAIDENING					May	be read as i, ii a
Tender		Dlea	se note that the sub		PHQ		
Document	EMD Sub Cl iii), v) & vii)	اللحام	se serial numbering is not		,,,,		
5	Livio 4	in or	der. Are the points		\		
	1	1 .	the or this is a		<b>\</b>		
		tyne	ographical error. Please		}		payment to be
		م مدا	firm			95%	Dayillo
		+=-	auget you to amend the	}	do	relea	45 Cu at an
	EMD Sub CI vii) i.e Payment	l _	Torme as 10070		1	deliv	AGEA (agree)
<b>√</b> 6		20	ainst delivery for item no		1	mat	enal a or
		l ag	Duplex Radios	1		furr	nishing of successful
	I . P == MCCORMUN U VV'''	1.0	. Dupie	1		ins	tallation certificate
	the video walls by the board	1	·	1		fro	m end user.
	the rise	\			miroment		Amended contents
			rting mast / tower height a	s per	16dan ement		
A 14	em No 6 – Duplex Radio with Self s Qty 12 No's (Techr	uppo	enecifications)		DUO 191/ hae	15	pecification given at
Annexure A It	em No 6 – Duplex Radio with Self s Qty 12 No's (Techr	iicai 3	Request you to amend the	1	HMC Jan Has	ar	nnexure 'B"
	that the Specifications	1:	- baical enecifications as	1	Skibben our	\	
-	Chambool Environillerites and	- 1	THE MILE OR'S TO CHADIC US	1	page of technical	1	
	r sarampinia dio con a		to submit our offer/response			, \	
1	repeated twice and are not as per	1	meeting all technical		specifications in e- Nit 36 of	'	•
	MHA QR's	\	parameters.	1	2019 as such	1	
	latt and extensi	l	paramotor	\	PHQ J&K is	\	
	1	\		1	PHO Jak is	. \	
		Ì		\	requested to	\	
		!		1	upload the	of \	
	· ·			\	missed page	of	
	}		1	1	specifications	.	
					item No. 06	<u>'</u> +	Read External Antenna
			Please note that since all	the		}	padBi or better – 01 N
	Hardware requirement for PTP pe	:r 	ather items under Hardwa	re	Agreed	sal	instead of 02 No's
-	Chatian Sub Cl b - External Amore	na ·	- mauricement for P1P per		Read Extern	1Di Idi	III OLD WA
	26dBi or better – 2 nos		Ctation have been asked	in a	Antenna 26	1131 114	
\	2002		single quantity the Extern	al	or better -		
			Antonna 26dHi Of Dellei		No. instead	ı Ol	
			should also be mentioned	d as	02.No's	•	1
1			- 01 no. Kindly amend the	ne			
Ì					1		-2481/1
	1		same				PSTN/EPABX lines (
	Additional Features Pt 3 - Equip	ment	This clause may please t	e	PSTN / EP/	7BX	be provided by the
_	should have four extending/linking	ıg ·	allegoed to - Edgibilious	•	lines will b		department
	PSTN lines	-	should have four				αοραιτιποπι
•	1 0,14 ,		extending/linking PSTN!	ines	provided by		
			which shall be provided by	by	departme	m	
			the user (J&K Police).				1 - 1 - 1
	Additional Features Pt 5- Self-		Please clarify the sites /		Since	the	ĺ
-	supporting tower along with cond	rete	locations where these to	wers	installation	and	conveyed later on as
	base, Earthing, lighting arrestor,	., 5.0	/mast are required to be	-	commission	ing	requirement
J	Aviation lamp and height as per		erected.		of intra and	-	-
1	requirement at each site.		· ·		1		<i> </i>
1	requirement at each site.					gital	
					ł	idio	,
					network is	in	
				i	progress	as	
	1	<del></del>			such location	ons	
•				_			

				will be provided later on in order to extend the connectivity as			
				per requirement.			
-	base of tower should be constructed to	Please clarify the site who this is required for proper planning.		here		-do-	
one additio	by vendor.  e that if duplex radio is required to be functional onal Duplex Radio will be required to meet this refify the same and issue the amendment according	in hot standby mode, equirement. As such re	then equest	No need of Hot Standby		As per NIT	
10 days ex	xtension in the due submission date from the d	date of issue of amend	dment /	Pertains to PHQ J&K	Gra	nted as mentioned in the notice	
	el communications Rajbagh Srinagar			Clarifications		Amended contents	
S.No.	Quarries / observation/Amendments Requeste	eu Lestablished after rogi	stration I			All newly registered	
authority v	Communication Raj Bagh Srinagar has recently ide No. 01FMTPK5704F1Z3 dated 29-04-2019. e following documents.	On the onset of new co	ompany	it is not possible to		Units exempted	
1.	Performance or Experience certificate		do				
2.	Previous Turn-over of the company.		do				
3.	Income Tax Return etc.			do			
03 Coral	Telecom Limited Noida						
S.No.	Quarries / observation/Amendments Requested		Clarifications			Amended contents	
1.	The tender is comprising of near about 19 items and it is not possible for any vendor to participate for all the items/us to take part in the tender as we are the OEM of the EPABX items and the minimum cost of our item is approximately 1 lac and in tender the tender document fee is Rs 2000/= and Earnest money deposite is Rs 1 lac It is requested kindly reduce the document fee and EMD as per the items so that maximum participants will take part in the tender and also we are able to		Pertains to PHQ J&K			. As per tender	
2.	participate in the tender  Extend the submission of tender for more 10 days		do			granted	
3	Requirement of Battery Pack of ICOM IC F	3 50 No				Withdrawn	
	s Delhi Networking solution						
S.No.	Quarries / observation/Amendments Requested		Clarifications			Amended contents	
01	CISCO Router 2900 Series are not available production of said model has been stopped	le in the market, as				Specifications of the routers have already been given in the tender. Intending firm may offer suitable model as per specifications.	

Mubassir Latifi JKPS,
AIG Provision &Transport,

✓ For DGP J&K Srinagar

17/2

## Annexure 'B'

## Item No 6 - Duplex Radio with Self supporting mast / tower height as per requirement Qty 12 No's (Technical Specifications)

01	Radio Configuration	Radio Should Support on Multi-band , 2.4 to 2.485 or 5.825 to 5.875 GHz (WPC) licensed free band and capable to operate on PTP System
02	Frequency Band	2.4 to 2.485 GHz or 5.825 to 5.875 GHz as per WPC
03	Encryption	AES-128
04	Capacity	25 Mbps net aggregate or higher
05	Modulation	2x2 MIMO-OFDM, BPSK, QPSK, 16QAM, 64QAM
06	Data Rates	Minimum 48 Mbps
07	TX Out put	24dBm or better
08	Rx Sensitivity	-88dBm @ 13 Mbps, -86dBm @ 26Mbps or better
09	RF Channels	Max. 19 overlapping channels in frequency band 2.4 to 2.485 GHz or Max. 11 overlapping channels in frequency band 5.825 to 5.875 GHz in 5/10/20/40 MHz channel width configuration option as per user requirement or better.
10	Wireless Error correction	FEC
11	ODU enclosure	IP67
12	Ethernet ports	Should support minimum 02 ports
Operation	nal	<u></u>
01	Standards compliance	Framing / Coding as per IEEE 802.3 /U
02	Operating Modes	PTP on E1 or Ethernet + TDM
03	Useful throughput	Minimum 18 Mbps or better
04	V LAN Support	
	Repeater Configuration	Transparent Option if Necessary
05		
06	Link span in repeater mode	Minimum 40 Kms (Optional) if required
07	Link Distance	Minimum 20 Kms
08	Spectrum Analyzer ( in built)	Link-oriented Spectrum Analyzer: should show the results of both sites
09	Duplex Technology	TDD
Network I	Aanagement and Security	
01	Network Support	Ethernet, support should be available
02	Antenna Alignment tools	Buzzer / Visual LED's ( SNR)
03	Management utilities	SNMP Based, Local and remote Loop back testing
04	Management interface	Ethemet or E1
		Should support SNMP
05	Net work management system	·
06	Bridging	Self-learning up to 2047 MAC addresses IEEE 802.1Q
07	Ring Protection	Should support for redundancy without using External switch
80	Upgrade capabilities	Should have facility to software upgrade over the Air and should support software backup ,Restore through EMS
Minimum	Specification for Switch	
		a) 08 /24 auto-sensing 10/100 ports (IEEE 802.3 Type
		10Base-T, Media Type: Auto-MDIX; Duplex: half or full
		b) 1 RJ-45 serial console port
		c) 2 auto-sensing 10/100/1000 ports
1	Ports	Duplex: 10Base-T/100Base-TX: half or full; 1000Base-T: full Only
		MIPS @ 300 MHz, 16 MB flash, 128 MB SDRAM;
2	Memory and processor	packet buffer size: 1 MB
	Performance	· · · · · · · · · · · · · · · · · · ·
,	a) 100 Mb Latency	< 4.1 µs (LIFO)
	b) 1000 Mb Latency	< 2.9 µs (LIFO)
	c) Throughput	up to 9.5 million pps
	d) Routing/Switching capacity	12.8 Gbps
2	e) MAC address table size	8,000 entries
3	e) IVIAC address lable size	
	l tamamamama	command-line interface; Web browser, configuration menu;
4	Management	out-of-band management (serial RS-232C)
5	Layer 2 switching	Should support IEEE  802.1Q (4,094 VLAN IDs) and 256 VLANs
		simultaneously
Minimum	Specification for FXO/FXS Gatew	ray
	1. Interface	
i	WAN	10/100M Ethemet uplink port
— <u>`</u> ii	LAN	10/100M Ethernet downlink port
iii	Phone	4 Port FXS + 4 Port FXO at PS Site
	. 1.01.0	Total 24 Port FXS + 24 Port FXO at Central Site for PTMP
		TOWN SETT OF THE POPULATION OF CONTROL OF THE POPULATION OF THE PO

2. Pı	rotocol			
i	VOIP control protocol	H.323/SIP, easy to switch		
й	Voice codec	G.711A, G.711U, G.729, G.723, G.726		
3.Call F	eatures			
		DTMF detection and generation		
		Call progress tones detection and generation		
		Polarity reversal signal		
		Echo cancellation ,VAD, CNG		
		Answer supervision, Disconnect supervision		
а	Analogue telephone feature	One-stage dialing and two-stage dialing		
b	VolP call feature	Call waiting, Call transfer, Call hold, Call forward		
4.Othe	4.Other characteristics			
а	Voice feature	DTMF check and create, check and create voice during calls		
b	Characteristics of data interface	Support DHCP Client		
С	Configuration	Through WEB browser, TELNET		
d	FAX	Support pass through, T.30 and T.38		
е	Power	AC 220V, 50HZ		
f	Switch	1 Reset Switch		
Environ	mental and compliance parameters			
01	Network Connection	Ethernet or E1		
02	External Antenna Connection	N Type Connector with weather proof casing		
03	POE Adopter	IDU to provide power over Cat 6 cable to ODU		
04	Power consumption	Less than 35 Watts ( IDU + ODU)		
05	LED Indicators	Power and line		
06	Temperature	-35 to +60° C or above		
07	Enclosure	All weather casing for ODU		
08	Environmental Compliance	EN 61000-4-5, Class 3 (2kv) or better		
09	ETSI	EN 300 386, EN 301 489-1, EN 301 489-4		
10	Power Source	230 Volts AC 50 Hz / POE		
Hardwar	Hardware requirement for PTP per Station			
01	PTP Duplex Radio with POE	01		
02	08 ports switch	01		
03	4+4 port FXO/FXS Gateway	01 (Optional)		
04	Cat 6 cable as per requirement	As per user need		
05	Surge protector	01		
06	External Antenna 26dBi or better	01 (Optional)		
07	Self supporting Mast for Duplex	As per requirement.		
	Radio			

Mubassir Latifi JKPS, AIG Provision &Transport, For DGP J&K Srinagar