

aphq@jkpolice.gov.in ARMED POLICE Phone No. 0191-2450001(Jammu) Phone No. 0194-2455133 (Srinagar)

J&K

JAMMU

Gist of e-NIT No. 05 OF 2019

DATED:

16 .04.2019

For and on behalf of the Governor of Jammu & Kashmir State, online tenders (etenders) are invited from reputed vendors/firms/entities for <u>supply of Mountaineering Rescue Equipments as detailed in Annexure-"A" of this e-NIT.</u> The e-NIT consisting of qualifying information, eligibility criteria, Bill of Quantities (B.O.Q), set of terms and conditions of contract and other details can be seen/downloaded from the J&K State e-Procurement Portal www.jktenders.gov.in w.e.f <u>16-04-2019 (1600 hours)</u> to <u>07-05-2019 upto 1600 hours</u>. Bidders submitting their bids on-line shall only be accepted and no document other than those mentioned in the e-NIT shall be accepted manually.

The tenders (technical bids only) will be opened **online on** <u>09-05-2019</u> **at 1400 hours** at Armed Police Headquarters J&K Batamaloo Srinagar. In case of unforeseen circumstances, the date of opening will be next working day or as notified separately.

The sample(s) should be packed in a separate cover affixed with sealing wax and seal of the firm quoting e-NIT No. and offer details. The samples shall be received at Armed Police Headquarters Complex Gulshan Ground Jammu upto 26.04.2019 and Armed Police Headquarters Batamaloo Srinagar w.e.f 29.042019 in view of Annual Darbar Move of offices, before closing date of submission of the tenders.

However, the firms/bidders who have furnished samples of Mountaineering Rescue Equipments to this Hqrs in pursuance to e-NIT No. 01 of 2018 dated 19.03.2018 and e-NIT No. 05 of 2018 dated 12.11.2018 need not to furnish fresh samples.

Detailed tender documents (SBD) with terms and conditions are available

on J&K State e-Procurement Portal $\underline{www.jktenders.gov.in}$.

Addl. Director General of Police

Dated: 16.04.2019.

No. APHQ/Prov-107/2018/ (3771-74) Copy to the:-

Director General of Police, J&K Jammu for favour of information.

2 Director Information J&K Jammu for information with the request to arrange the publication of tender in National Dailies viz, The Hindu, Deccan Herald, Hindustan Times, Indian Express and in local



Newspapers i.e. (Greater Kashmir in Srinagar and Excelsior in Jammu) and Tender Journals etc for wide publicity including through Door Darshan Jammu/Kashmir and Radio Kashmir Srinagar/Jammu.

3 S.O (IT) PHQ, J&K for putting the tender on Police Website.

Incharge (IT) APHQ, J&K for uploading tender on Govt e-procurement

portal.

Addl Director General of Police

POLICE

HEADQUARTERS J&K

Min Phone No. 0194-2455133 (Srinagar)

Phone No. 0191-2450001(Jammu)

IAMMU

e-NIT NO. 05 OF 2019

DATED:

/6 .04.2019

(SBD)

1. For and on behalf of the Governor of Jammu & Kashmir State, online tenders (etenders) are invited from reputed vendors/firms/entities for supply of Mountaineering Rescue Equipments as detailed in Annexure-"A" of this e-NIT. The e-NIT consisting of qualifying information, eligibility criteria, Bill of quantities (B.O.Q), set of terms and conditions of contract and other details can be seen/ downloaded from the J&K State e-Procurement Portal www.jktenders.gov.in w.e.f 16-04-2019 (1600 hours) to 07-05-2019 upto 1600 hours. Bidders submitting their bids on-line shall only be accepted and no document other than those mentioned in the e-NIT shall be accepted manually.

The sample shall be packed in a separate cover affixed with sealing wax and seal of the firm quoting e-NIT No. and offer details. The samples shall be received at Armed Police Headquarters Complex Gulshan Ground Jammu upto 26.04.2019 and Armed Police Headquarters Batamaloo Srinagar w.e.f 29.04.2019 in view of Annual Darbar Move of offices, before closing date of submission of the tenders.

However, the firms/bidders who have earlier furnished samples of Mountaineering Rescue Equipments to this Hqrs in pursuance to e-NIT No. 01 of 2018 dated 19.03.2018 and e-NIT No. 05 of 2018 dated 12.11.2018 need not to furnish fresh samples.

The tenders (technical bids only) will be opened **online on** <u>09-05-.2019</u> at 1400 hours at Armed Police Headquarters, J&K Batamaloo Srinagar. In case of unforeseen circumstances, the date of opening will be next working day or as notified separately.

	Separately.	Details
S.No.	Particulars	Betans
i	Date of commencement of downloading of e-Tender document/e-NIT.	e-Procurement Portal www.jktenders.gov.in w.e.f
ii	Last date and time for submission of on- line bids and receipt of samples	07-052019 upto 1600 hours

iii	Time/date and place of on-line opening of Technical bids only.	o 9-052019 at 1400 hours at J&K Armed Police Headquarters Batamaloo Srinagar.
iv	Pre-bid meeting, if any	If convened, will be communicated later-on.
V •	Validity of the tender offer	Upto 31.03.2020.

- 2. Prospective bidders shall submit sample for each item quoted. They will ensure that samples submitted by them fully conform to all the parameters of the e-NIT specifications.
- 3. Offers received without tender sample or in case the tender sample is received after due date and time, the receipt of tenders shall not be accepted.
- 4. All tender sample/s should have a card affixed to it duly signed and stamped by the firm indicating (i) Name of the firm (ii) Tender No. (iii) Date of opening of tender and (iv) Name of the item, make and model (where ever applicable).
- 5. Samples shall be without any kind of Marking/Sign/Symbol/Blot/Scratch/Stain etc. Samples not conforming to this Clause shall be rejected.
- 6. Tender samples of the tenderer whose offer has not been accepted can be collected against the requisition/demand on letter head of the firm, duly stamped, signed and attested by the tenderer. In case sample(s) are not collected within the period of rate validity of this tender, the sample will be disposed off without any cost or liability to J&K Police.
- 7. The samples shall be received at Armed Police Headquarters Complex Gulshan Ground Jammu upto 26.04.2019 and Armed Police Headquarters Batamaloo Srinagar w.e.f 29-04:2019 in view of Annual Darbar Move of offices.

 The tenders shall be properly sealed and addressed to Addl. Director

General of Police, Armed J&K, Gulshan Ground Jammu/Batamaloo Srinagar.

The tender envelopes shall be superscripted <u>"Tender no. & date for Mountaineering Rescue Equipment items."</u>

8. Tender Fees :-

The Tender Fee has been fixed as Rs.500/- only for SSI Units of J&K State and Rs.3,000.00 for other bidders in the shape of scanned copy of Treasury Challan deposited into State Govt Treasury under object Head 0055-Police and the same is non-refundable. Treasury Challan should compulsorily mention (i) Name of the Firm (ii) Tender No. (iii) Date of opening of Tender. However, the Govt./Semi Govt, concerns of the J&K State claiming exemption of tender fee shall append authenticated orders, certificates etc, issued by Competent Authority support of their claim. However, granting exemption from the furnishing the shall be at the sole discretion of ADGP Armed J&K or any officer whis behalf.

Tenders without stipulated tender fee shall be rejected.



9. **Earnest Money Deposit (EMD):**

Tender must be accompanied by a scanned copy of Earnest Money for **Rs. 5,000.00** in respect of SSI Unit holder of J&K and **Rs.1.00** lac (rupees one lac only) for others in the shape of **Call Deposit Receipt valid at Call** from any Nationalized Bank valid till 30.04.2020, pledged to **Staff Officer to Addl. Director General of Police, Armed, J&K**. However, all the participating bidders would upload scanned copy of the requisite EMD with the tender. The earnest money in the case of unsuccessful tenderer shall be released after finalization of Tenders, whereas, in the case of successful tenderers, it will be adjusted towards the security money (required to be deposited) on application, for due performance of the agreed contract. No interest shall be payable by purchaser on the EMD deposited by the tenderer).

The J&K Govt. rules with regard to furnishing of **EMD** in respect of **local Registered SSI** units shall be applicable in letter and spirit. For the purpose, SSI units shall have to furnish registration certificate and Functional Certificate of SSI Unit, issued by the competent authority with their tender offer failing which the benefits of SSI units will not be allowed.

The Government/ Semi Govt. or similar other concerns, claiming exemption from the payment of EMD shall have to append duly authenticated orders, certificate etc from competent authority supporting their claims.

Tenders without EMD shall be rejected.

- 10. Rates quoted by the firms should be on firm price basis.
- 11. Firms shall clearly indicate different taxes, duties, charges which they propose to charge as per the format of Bill of Quantity (BOQ) available with the e-tender, moreover online generation of financial comparative (BOQ Chart) is of indicative nature only and not conclusive. The detailed financial comparative (BOQ Chart) shall be worked out by department and will be uploaded on the website for general information of all the Tenderers.
- 12. The approved firm shall be deemed to have fully understood the conditions, specifications and in case of any doubt may seek clarification.
- 13. No conditional tender will be accepted/ entertained and shall be outrightly rejected. No other condition than those mentioned (in the terms set-forth) will be entertained.
- 14. Purchaser reserves the right to get the credentials of all the firms re-verified irrespective of the registration status.
- 15. Purchaser reserves the right to cancel/reject or scrap any or all the tenders with assigning any reasons. Reasonable logical discretion with the purchaser remain intact for safe guarding the Govt. interests.

TWO BID SYSTEM;

All bidders are required to submit their offers in two covers as under:-

(A) <u>FIRST COVER</u> (Technical Bid) is to be uploaded Online as Scan Copies format should contain the following:-



i.	Tender documents all pages duly completed and signed BUT WITHOUT
	INDICATING THE RATES QUOTED.
ii.	Self attested Scanned copy of Earnest Money. Original be sent through speed
	post.
iii.	Self attested Scanned copy of Tender Fees. Original be sent through speed
	post.
iv.	Self attested Scanned copy of valid PAN Card.
v.	Self attested scanned copies of Income Tax Returns for the last three (03)
	Financial Years i.e. Financial Year 2016-17, 2017-18 and 2018-19.
vi.	Self attested Scanned copies of Certified/Audited Financial Statement i.e Bank
	Statement, P&L A/C/Balance Sheet indicating the Credit worthiness of the
	Vendor clearly indicating the Annual Turnover/Gross Receipts of last three
	(03) Financial Years i.e Financial Year 2016-17, 2017-18 and 2018-19.
vii.	Technical specifications of the items quoted.
viii.	Registration Certificate/Industrial Licence of original firms with due validity,
	for the items quoted.
ix.	Certificate of being authorized dealer having proper authorization of the
	registered firm (as per Appendix-I) to quote against the particular item of the
	tender.
X.	Authorized Dealer having authorization to quote against this tender, shall
	furnish his Registration Certification with Central/State/Sales/Service Tax
	department for the particular item.
xi.	Scan copy of the e-NIT, all pages duly signed & stamped by the tenderer, in
	token of having understood and accepted the specifications, terms &
	conditions of the e-NIT.
xii.	Performance statement for last three years as APPENDIX-II of this e-NIT.
xiii.	Check list for tenders as per APPENDIX-III.
xiv.	Any other relevant document which the firm wishes to submit.
	OND COVER (Comment 1/D to DID) 11 11 11 CH to

B) SECOND COVER (Commercial/Price Bid) should contain the following:-

- Rate quoted by the firm which should be on firm price basis as per Bill of Quantities (BOQ) of the e-tender to be downloaded from the website should be carefully quoted offline and then uploaded.
 The Zero basic cost quoted for any item in BOQ will be treated as Nil quoted.
- ii. Rates quoted shall be valid upto 31.03.2020.
- 16. On due date of on-line opening of tenders i.e 09-05-2019 evaluation process will start. Those who qualify the technical bid will be informed online with the announcement of financial bid opening date.

17. Security Deposit.

The approved firm will have to furnish security deposit @5% of the total value of order OR Rs.15.00 lacs in lump sum pledged to Staff Officer to ADGP Armed, J&K in the shape of Call Deposit Receipt valid on call from a Nationalized /Scheduled Bank, at



the time of signing of <u>Deed of Agreement</u> to ensure satisfactory performance of the contract. This security deposit will be released after three year of successful completion of contract. The charges on stamps etc (cost of documents in totality) shall be borne by the approved bidder/tenderer while executing the agreement. (No interest shall be paid by the purchaser on the Security deposit). J&K Govt Rules for Security Deposit in respect of local SSI Units shall be applicable.

18. As soon as the acceptance of the tender is communicated to the successful tender online, the contract shall be binding on him. The earnest money of the tenderer who backs out or withdraw his tender or fails to abide by it after acceptance thereof shall be forfeited besides, other penal remedies applicable under law for the time being in the State of J&K.

19. The successful tenderer shall have to enter into an agreement on prescribed proforma (immediately after the issuance of work/job order) with the Department for due performance of the contract and has to supply the equipment items within a period of (45) days or as mentioned in the supply order.

20. The tenderer is required to furnish an authenticated copy of Sales Tax/ VAT/GST clearance certificates and PAN and GST registration certificate(alongwith the tender offer and at the time of payments) for the year 2017-18. The APHQ, J&K shall be at liberty to put to scrutiny, verification etc. the Sales tax /VAT/GST clearance so furnished by the successful tenderer.

21. The authorities reserve absolute powers to reject or accept any tender or part thereof without assigning any reason and without any legal obligations. Any clause incorporated in the tender (not conforming to the e-NIT in any manner) shall make such an offer liable for rejection. Therefore, all the terms and conditions of the tender Notice including technical specification shall be carefully studied for the sake of complete and comprehensive tender. Failure to comply with any of the conditions stipulated herein above or instructions or the offer with insufficient particulars/documents shall lead to out-right rejection of the tender.

22. If after the registration/placement of orders/execution of the agreement and formally depositing the security money, the tenderer backs out or fails to execute the contract/work order, the security deposit will be forfeited besides any other penal measure the department may take as per norms.

23. The formal deed incorporating the terms of the contract will be executed by the successful tenderer immediately after receipt of work order.

24. If the successful tenderer fails to execute the contract within the stipulated period as specifically mentioned in the supply order, the department shall be at liberty to retender or otherwise at his risk and cost. The department may give 15 days notice to the approved bidder in writing to make the loss good.

25. All legal proceedings arising out of any dispute between the parties shall have to be settled in the Courts situated in Jammu and Srinagar and not elsewhere.

26. It shall be incumbent upon the supplier to execute the work order, in conformity with the provisions as provided in the e-NIT.

27. The approved bidder/tenderer shall not sublet the contract or any part thereof to any other agency.

28. The Department reserves the right to add or suitably modify the terms and conditions at any stage before the offers are received/last date for submission of bids as per



exigencies and hence above shall not be construed as all inclusive.

29. The detailed NIT, SBD and BOQ are available on J&K State e-Procurement portal <u>www.jktenders.gov.in</u>. In case of any clarification, please contact on Telephone No. 0191-2450001 and Fax No: 0191-2457773 upto 26.04.2019 (Jammu) and on No. 0194-2455133, Fax No. 0194-2450514 w.e.f **29.04-19** (Srinagar).

e-mail id: aphq@jkpolice.gov.in

(S.J.M Gillani) IPS,
Addl. Director General of Police,
4 Armed, J&K Jammu.

Dated: 16 .04.2019.

No. APHQ/Prov-107/2018/13771- 74 Copy to the:-

1 Director General of Police, J&K Jammu for favour of information.


Director Information J&K Jammu for information with the request to arrange the publication of tender in National Dailies viz, The Hindu, Deccan Herald, Hindustan Times, Indian Express and in local Newspapers i.e. (Greater Kashmir in Srinagar and Excelsior in Jammu) and Tender Journals etc for wide publicity including through Door Darshan Jammu/Kashmir and Radio Kashmir Srinagar/Jammu.

3 S.O (IT) PHQ, J&K for putting the tender on Police Website.

4 Incharge (IT) APHQ, J&K for uploading the tender on Govt. e-procurement portal.

Addl. Divertor General of Police, Armed, J&K Jammu.

APPENDIX-I






	To,
	The Addl. Director General, Armed, J&K Jammu/Srinagar.
	Subject:
	Sir,
	Please refer to your tender enquiry (NIT) Nodated
•	We who are proven and reputable vendors/firms/entities of (name and description of the contract offered in the tender) having factories at hereby authorize M/s (name and address of the agent) to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred tender enquiry documents for the above said contract. We further confirm that no vendor or firm or individual other than M/s (name and address of the above agent/dealer) is authorized to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred tender enquiry documents for the above said contract.
	Yours faithfully,
	Signature with date, Name and designation For and on behalf of M/s (Name and address of the Firm/Vendor)

Note:-

- 1. This letter should be on the letter head of the manufacturing firm and should be Signed by the person who is competent having the power of attorney.
- 2. Scan copy of the original letter must be attached with tender documents.

SIGNATURE OF THE TENDERER.

APPENDIX-II



_	
1	10/
	_

Name of the firm	
Description of contract	
Quantity on order	
Value	
Work order completion date as per supply order(to be accompanied with a certificate of the State	
Police/Central PMF for which work has been executed)	
Contract completed/finalized within conginal schedule.	
Final completion date of work order.	
Reasons for delay in completion (if any)	

Signature of Tenderer

APPENDIX-III

General instruction/Check List for Tenderers.

Before submission of tender documents, the tenderers should check whether they have complied with the following requirements of otherwise:

S.No	complied with the following requirements of otherwise Requirement to be checked before submission of the tender	Complied (Please indicate YES or NO after complying with the requirement.	
	The tenderers for their own ease shall fill in relevant details of NIT		
1.	- 1 1.1 and offer Angilring dilliary		
	- 1 C-+ good convice enclosely, with the common		
2.	Whether tender fee scan copy is enclosed, with Whether Earnest Money Deposit (EMD) scan copy is enclosed with		
3.			
	is a cci Unit, the same is indicated in the tender and scan copy of		
4.	valid registration certificate is enclosed or not?		
5.			
э.	Whether scanned copy of complete tender documents and loaded in the technical bid duly signed having official seal on all		
6.			
0.	Whether tender documents are submitted in two stars. Technical and Financial Bids separately as per tender enquiry or		
7.	mot? Whether offer validity as required in tender enquiry is accepted		
	whether or validates and indicated in your tender document or not? Whether terms of completion period as required in tender enquiry whether terms of completion period as required in tender enquiry		
8.			
	is accepted and indicated in your tender document or not?		
9.			
	the statement in the following in the statement in		
10.	ic enclosed Will the supporting		
	enquity is constant point /parameter or not?		
11.	the top out for 1301 3 Ved13 do require		
11.	Whether performance statement for last 5 years in tender enquiry in the format is enclosed or not. If not, reason		
12.	to whether individual of		
12.	To the stand agent is indicated in your tender	' 1	
	I though original agent / dealer, value authority to the		
	an ic the manufacturer is enumbed to the		
13.	If called for in the T.E. whether acceptance of functional	r	
	If called for in the 1.E. whether acceptance demo/field trial clause, is specified in your tender document o		
	whether indicated in the tender document, if your firm's busines	S	
14.	Whether indicated in the tender document, if you may dealings is banned by any Govt/Private agency or recommende	d	
	dealings is bailified by any dove, 111		
	for blacklisting or not? The complete commercial quote should be in Indian Rupees only the clearly mentioned (wherever	y.	
15.	The complete commercial quote should be in the complete commercial quote should be clearly mentioned (wherever Currency of price should be clearly mentioned (wherever	er	
16	- 1 - indicate Racic Rail ocivico ion/	.1 nt	
10	and any other leviable taxes/charges separately in the relevan	II.	
	columns of the BOQ.	ld	
17	- + I was figurion of hitle (molecu winer bits)	on l	
1	include the recently executed contracts of the state		
18	Me salumn should be left blank, wherever amount is not quite		
	the column should be clearly marked as 'Nil".		



S No	Sensitive Documents part of	Non Sensitive Documents
	Technical bid	
	Valid registration certificate/industrial	Performance statement of three
	license of original manufacturer for the	years
	items quoted	·
	Valid authorization letter of original	Govt. supply orders for same if
	manufacturer in case of approved	any
	dealer	
	Valid registration certificate of	Income tax clearance
	approved dealer with central/state	
	sales tax department for the items	
	quoted	
	Vat clearance	
	SSI unit -registration certificate	
	SSI unit – functional certificate	
	Scanned copies of EMD and Tender Fee	
	Scanned copy of NIT duly Signed &	
	sealed	

SIGNATURE OF THE TENDERER WITH SEAL

ANNEXURE -"A"

Mountaineering Rescue Equipment items

(13)

≱0.	Name of the equipment	Specifica	ation	Tentative Qty. required for 06 M.R Teams
)1	Rope	Diameter	08mm	2600Mtrs.
	Rappelling	weight	Less than 60 gm per Mtrs.	
	08mm	Static strength	Not less than 16KN.	
		Strength with Fig 8	Not less than 10KN.	
		Shrink in water	Less than 4%.	
		Material	Polyester /Nylon.	
		Certification	CE-EN 564UIAA	
02	Rope 11mm	Diameter	11mm.	3600Mtrs.
	Dynamic	Weight	Less than 80gm/mtr.	
		Static strength	Not less than 25KN.	
		Strength with fig 8	Not less than 17KN.	
		Shrink in water	4%	
		Certification	CE-EN 892UIAA	
03	Carabineer	Breaking strength	Not less than 25KN/8KN/7KN.	180Nos.
US	(screw)	Gate opening	Not less than 21mm.	10011001
	(SCI EW)	Weight	Less than 80gm.	
		Certification	CE-EN 12275UIAA	
04	Carabineer	Breaking strength	Not less than 22KN/8KN/7KN.	180Nos.
04	(plane)	Gate opening	Not less than 21mm.	
	(plane)	Weight	Less than 50gm.	
		Certification	CE-EN 564UIAA	
05	Ice Axe	General	Should be light weight with hole	150Nos.
US	ite Axe	deficial	for carabineer and equipped	
			with leash.	
1		Head spike	High grade stainless steel .	•
		Shaft	Air craft grid aluminum alloy.	•
		weight	Less than 600gm.	•
		Certification	CEUIAA	-
06	Head lamp	General	Should be light in weight water	200Nos.
00	neau iamp	deficial	and weather resistance and	s P
			suitable for continues lighting.	
			And should have be red	7 14 14
			indicator.	
		Luminous	Not less than 200 hours on low.	
		Type of blub	LED at least 4 to release multi	
		Type or blab	beam with several mode and	
			lighting colors adapted to different	
			situation and easy to operate.	<u>:</u>
1		Certification	CE -IPX4	<u> </u>
07	Pully	Breaking strength	Not less than 20KN.	60Nos

				(14)
		Certification	CE-12278UIAA	
		Weight	Less than 100gm.	
		Rope capability	7-13mm	
 08	Descender (fig	Material	High steel/aluminum alloy.	120 Nos
	of 08)	Forged figure	Modern 8design.	
		Strength	Not less than 20KN.	
		Certification	CE-UIAA	
09	Helmet	General	Easy adjustment system with	
			minimum 4 head lamp clips and	150 Nos
			holes for proper ventilation.	
		Weight	Less than 400gm.	
		Certification	CE-EN 12492UIAA	
10	Jumar	General	Grips maximum gripping on wet	150 Nos
			Icy and muddy ropes.	
		Weight	Less than 250gm each.	
		Rope capability	8-13mm	
		Certification	CE-EN 567UIAA	
11	Ruck sack	General	Durable top loading ruck sack	150 Nos
		1	with back panel and frame sheet	
			with alloy.	•
		Material	High tenacity polyamide/nylon	
			fabric/polyester.	
		Capacity	No less than 100ltrs.	
		weight	Less than 3kg.	
12	Sleeping bag		Should be of good quality high	150 Nos
		General	tenacity density nylon and	
			polyester/ filled of with high	
			quality techno fiber synthetic	
			thermal fiber and water proof.	
		weight	Less than 1.5kg.	
		Temperature	Not less than minus-	
		resistance	18°c(degree)	450 N
13	Knap sack	Material	High tenacity/density water	150 Nos
			proof nylon fabric.	
		Weight	Less than 1kg.	
		Capacity	Approx.25ltrs.	
14	Carry mate	size	Not less than 6'x2"x8mm.	150 Nos
		weight	Less than 1kg.	1
		Material	High quality nylon/polyester/	
			poly fiber.	
15	Wind proof	General	Should be tough, stretchable,	150 Nos
	jacket		quick dryable, water proof and	
			highly breathable. All zip vents	
			and seams should be thermo	<u> </u>

Killy a			
Ä.			sealed.
		Material	03 layered good quality high
			tenacity/ density nylon.
		Resistance	Wind and water proof . Not less
er" F			than 1000mm.
		weight	Light weight 1kg.
	IN. Jamoof	General	Should be tough/stretchable/ 150 Nos
6	Wind proof	delicias	quick dryable, water proof with
6	pants		at least 02 hand warmer pockets
		Material	03 layered good quality high
			tenacity/density nylon.
		Resistance	Wind and water proof.
		Weight	Light weight not more than 1kg.
		Water proof and	Approximately 15000 mm.
		capacity	
-		General	Ankle high protective boot with 150 Nos
17	Trekking shoes	General	lather upper, soft cuff and water
			proof and breathable membrane.
			Designated for technical
			approach roots and hiking
			trekking even with fully loaded
			back packs.
			Suede leather and protective
		Material upper	thick PU or rubber rand and toe
			Injected EVA .(Ethyl vinyl
		Mid sole	acetate.)
			Goretax (or equalent material
		Lining	from a well known company)
			Vibram (or equalent from a well
		Out sole	known brand) with impact brake
			system and climbing zone at the
			39-47
		Size	Less than Approx. 1kg. for a pair
		Weight	
			of 42. Socks for extreme cold weather 150 No.
18	Socks	General	made up of not less than 75%
~ ~			
			itable for trakking shoes.
			Should be water proof mountain 150 No
19	Gaiters	General	Should be water proof mountain agaiter. made up of
1			gaiter, made up of nylon/polyester with adjustable
1			strap and zips, protected by

i			lapel and Velcro.	
;-	Dain noat	General	Should be compact and light	150 Nos
. 1		General	weight silicon fabric having	
	(poncho)		capacity of weather preferring	
-			for up to 1500mm water.	
	D 1 1	General	High grade thermal resistant	
1	Balclava	General	suitable for extreme could light	150 Nos
1	(fleece)		weight proper breathable with	
			adjustable high opening.	
	(fl)	General	Should be made up of light	150 Nos
2	Gloves (fleece)	General	weight high stretch fabric	
			breathable with food quality	
			insulation and quick drying.	
			Anti fog, anti scratch, anti dust	150 Nos
3	Goggles		and hazards protected	
			mountaineering polarized	
İ		C	lenses. Goggles made up of	
		General	polycarbonate/durable urethane	
			frame with 100% UV rays	
			protected high optical standard	
			L =	
			lens. Mountaineering snow sports	150 Nos
24	Mitten	Best use	Mountaineering show sports	1001100
			pitlars leather RIP stop nylon.	
		Palm material	Pitlars leather.	
		Fabric	Rip slop nylon.	
		Water proof	Yes grove TX water proof.	
		Breathable unrest	Insulated yes synthetic.	
		Insulation	Synthetic, prima loft one	
			polyester fiber and glove leash.	18 Nos
25	Stretcher	General	Should be adjustable, durable	10 NUS
			and easy to carry with 2-3 fold	
			steel/aluminum alloy and nylon	
			fabric.	A F C N
 26	Seat harness	General	Should be fully adjustable, light	150 Nos
U	Scat Har Hoos		weight, strong easy to wear and	
			equipped with minimum to 3	
			gear loops.	_
	<u> </u>	weight	Not more than 500gm.	_
		Certification	CE-EN 12277 UIAA	
27	Self braking	General	Grip maximum gripping on wet	20 Nos
27	_	Goriorai	10mm and muddy ropes.	
	desender (with	Weight	Less than 400gm.	_
	cams)	Rope diameter	Compatible to rope 10.5 to	
		Nobe manieres	11,5mm.	: _
		Canacity	200kg.	
		Capacity	CE-EN12841UIAA	
		Certification	CE-EN1ZOTIOIAA	

<i></i>	Feather Jacket	General	maximum protection form cold	150 Nos
			while keeping the main essential features light weight and comfort fit removable hood two	(1
			zipper side pockets. Organic cotton and polyester	
		Material	fleece in contrasting color inside sliver stitching on left chest, lest upper arm and below the bottom.100% cotton, lining 100% polyester	
29	Mountaineering climbing shoes	General	Sturdy leather boot suitable for traditional mountaineering and compatible with the crampons the upper should be sturdy and made using one piece water repellent leather.	150 Nos
		Upper	Should be one piece 2-8mm leather and high cat fabric cuff (ankle)	
		Lining	Gore-tex (or equalent well known brand)	
		Mid sole	8mm high density nylon, anti torsion plate.	
		Sole	Vibram ,(or equalent , well known brand)	
		Size	38-48	
		Weight	Less 1.75gms (Pair size 42)	4 F O N
30	Feather trouser	Material	Membrane 2 layered, face fabric 3D nylon, rip stop soft seat and knee reinforcement cordure	150 Nos
		Insulation	800 fill down	
		Water proofing	1000MM. Regular	
		Fit Pocket	Thigh two zippered.	
31	Tent two men	General	It should be four season two men tent. It should be tapped	30 Nos
			seems for water proof ness made with fire retardant, fabrics, complaint with CPAI-84 standard specifications fly sheet in thermal -insulating,	
			aluminized polyester repstop, water proof to minimum	

-			3000mm with flame resistant treatment. Breathable , water repellant inner , floor water proof 4000mm.	19
į		Structure	Load bearing with dur aluminum or equally strong poles and radiant joints rustproof aluminum pegs.	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Entrance and ventilation	Door with mosquito net exterior that opens at fully and fold into special pockets, lift able flap on base parameter for the tent for ventilation (when folded) or tent protection in case of bad weather.	
		Accessories	 reflective storm guy line internal storage pocket. lamp hook stuff sac repair kit, instruction book. 	
		Weight	Not more than 2.6kgs.	
		Length spread	Less than 10ft.	
		Width spread	Less than 5ft.	
		Height	Not more than 3.5ft.	
32	Tent three men	General	It should be four seasonal three person tent with dome structure and it should be made fire retardant fabric, complaint with CPAI-84 Standard specifications. Fly sheet in thermal –insulating, aluminized polyester repstop, water proof to minimum 3000mm with flame resistant treatment. Breathable, water repellant inner, floor water proof 4000mm.	30 Nos
		Structure	Load bearing with dur aluminum or equally strong poles and radiant joints rustproof aluminum pegs.	
		Entrance and ventilation	Door with mosquito net exterior that opens at fully and fold into special pockets, lift able flap on base parameter for the tent for ventilation (when folded) or tent protection in case of bad	

		Accessories	 reflective storm guy line internal storage pocket. lamp hook stuff sac repair kit, instruction book.
		Weight	Not more than 3.5kg.
1		Length spread	Less than 10ft.
		Width spread	Max. 7ft.
		Height	Not more than 4ft.
33	Gas cartridge	General	Gas cartridge used for cook purpose in high altitude. 1. butane gas. 2. high altitude cooking gas. 3. screw type. 4. working temperature not less than 30 to 40 degree.
		Weight	150gms.
		Cartridge type	single (use and throw) Light weight gas burner used 24 Nos
34	Gas burner	General	with gas cartridge for carding purpose. 1. Should light weight. 2. screw type burner with lighter. 3 butane gas burner.
35	AVD	Processor	Digital multiple burial detection
55	11.2	Antenna	Three.
		LED display	Visual digital distance and direction indicator.
		Casing	Ergonomic water proof shock resistance.
		Dimension	130m x 80mm x 20mm(approx.)
		Handling	With or without gloves easily.
		Transmitter	457 KHZ (beacon)
		receiver	
		frequency	Up to 70 meters horizontally 15
		Range	meters depth.
		Temperature	Mil spec-25 degree to 70°c.
		suitability	1 5V - rachargeable
		Batteries	2No A'A 1.5V, no rechargeable Li-ion-Alkali.
		weight	250gm.(including body belt and batteries)
1		Working life/ce	ells Transmitting 310 hours +

		Body belt	receiving 45 hrs. Adjustable high quality.	(P9
 -	Snow shovel	General	Aluminum blade foldable.	30 Nos
	stubal	Weight	Light weight less than 750gms. Aroganamic grip and telescopic handle.	
37	G.P.S	General	Should be high sensitively receiver detailed bas map. Barometric altimetry, electronic compass and 24 mega bytes of internal memory for extra data storage.	12 Nos
38	Avalanche rod.	General	Should be high quality light weight aluminum.	60 Nos.
		Weight	Not more than 300gms.	
		Accessories	Aluminum assembly with steel cable.	
		Length	230cms.1. should have a bag casing.2. six aluminum pipes with measurement making.3. Should have pointer tips.	
39	Snow stag	General	Snow stag use in base making in soft snow should be aluminum made light weight length 2-3 feet whole diameter 7-11mm should be best quality approved.	60 Nos
40	Tape sling	General	Flat tape .	600 Nos
		Strength	22KN.	
		Material	Polyester.	
		Size	Not less than 150cms.	
		Certification	CE-UIAA	0.037
41	Hapo bag	General	Should be of polyester, PVC water proof, have self grip facing system capacity 3 liters, with strip bag comes with a card reader on a shoulder strap. Capacity approximately 3 liters should mot more than six Kgs.	
42	Fleece Jacket	General	Wind proof fabric for front, breathable for the rare.	150 Nos
		Weight	Not more than 400gms.	1
		Material	100% polyester with Pu	1

		Lining	100% polyester.	
		Features	Hood be store in coller	(2)
		Catares	breathable , water proof and	
		•	wind proof with pockets.	·
		Color	Sky grey.	
43	Mobile fall	Material	Aluminum stainless steel and	18 Nos
	arrester	Material	should have oval self locking	10 1105
	direscor		carabineer.	
		Weight	Less than 400gms. Including	
			carabineer.	
		Certification	CE-EN 352-2.	
			CE-EN 12841.	
44	CAM loaded	Rope diameter	9-13mm.	18 Nos
	Rope Clamp.	compatibility		
		Strength 03 sigma	26kn.	
		Weight	260grams.	
		Certification	CE-EN567	
			CE-EN12841	
45	Hauling kit	General	Hauling kit for pick offs, making	20 Nos
			a released anchor.	
		Length	1, 2,5meters.	
		Material	Aluminum, nylon, poly urethane.	
		rope diameter	8mm	
		Certification	EAC	
		Sheave type	Sealed ball bearing.	
		Breaking strength	16KN.	
		Working load	6KN.	
		Efficiency	91%	
46	Progress	Weight	85grms.(ball bearing)	20 Nos
	capture pulley	Rope diameter	Compatibility 8 to 11 mm.	
		Sheave diameter	25mm.	
		Working load	2.5kn x2 =5kn.	
		Efficiency	91%	
		Material	Aluminum, Steel ,stainless steel.	
		Certification	CE-EN 567UIAA.	
47	Rope protector	General	Articulated protector with	12 Nos
			rollers is used to guide a moving	
			rope and protect it from	
			abrasion. The roll module	
			procreators offers the possibility	
-			of adapting the number of	
			models to the terrain and of	
			minimizing abrasion.	<u> </u>

And the second s

hi.	Body harness	General	1. The full body harness should	30Nos
· ·	J		be a proper rescue harness.	1
			2. It should be made of high	(2)
		:	strength nylon and polyester	
			fabric.	
			3. It should be padded full body	ļ
I			harness.	
			4. have matlic anchor points.	
			5.cross back design.	
			6. wide cuisioned waist belt.	
			7. All adjustable waist size to fit	
			all.	:
			8. weight should not exceed	
			2100gms.	
		Certification	CN-EN-813UIAA.	
			CN-EN -861UIAA.	
49	Crampons	Weight	870grms.	150 Nos
		No. of point	12	
		Boot size	36-50	
		Multi mount	Lever lock universal.	
		system		
		Material	Chromalloy steel .	
50	Carabineer	Material	Aluminum .	08 Nos
	built with in	Rope diameter	Compatibility 7to 13 mm.	
	pulleys	Sheave diameter	18mm.	
		Working load	2x2=4KN.	
		Weight	115grms.	
		Major axis	08KN.	
		strength 20kn.		
		Open gate	07KN.	
		strength	·	
		Locking system	Tract lock.	
51	Rock piton	Material	4130crmo steel.	150 Nos
		weight	100grms.	
52	lce piton	Material	(Screws) chromoly hanger	120 Nos
	_		stainless steel	
		Strength	10kn (2248)	
		Weight 10 to	118 to 168 grms with body	
		22cm	cover.	
53	Ice hammer	General	Ice hammer should be	12 Nos
			designated as for the steep snow	
			and ice enthusias for this	
			purpose, the heads must have	
			move pick curvature a nicely	
			ground pick toper and a full	
	1	1	length row of teath.	

	Walky- Talky C	leneral	Dry cell (non chargeable)	6Nos
	ridiny - ium ==	Range	From 2km to 5km.	185
	├~~ "	Battery	Battery buck of	
	-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	minimum	
ţ			1. Auto power saving mode.	•
			Reypau	
ŀ			password/protection.	
İ			3. low battery alarm/notification	
			Aluminum frame, stainless steel	36 Nos
5	Foot ascender	Material	cam nylon and dyneema straps.	
)	1000 ascons		cam nylon allu uyheema bosy	
		Weight	Less than 180gms. Per pair.	•
		Rope diameter	For use with birds	
			between 8 to 13mm.	30 Nos
	Chest ascender	General	Grin maximum griping on	
6	Chest ascender		icy and muddy ropes.	
		Material	Aluminum.	
		breaking	14kn.	Ti
		strength	100	
		Weight	Less than 100gm.	
		Rope diameter	Compatibility 8 to 11mm.	-
		Certification	CE-EN 567	1
		GOI WILLIAM	CE-EN 12841	06 Nos
	3	General	Lanyard with integrated energy	001100
57	Lanyard with	dono.	absorber.	-
	energy	Length	40cm.	-
	observer		Less than 150gm.	20 Nos
		Weight	1 cizo adjustable.	30 Nos
58	Foot cord	General	2 should have loops for Juman	•
			connecting carabineers.	
			3. adjustable tape.	_
		aCL'an	CE-EN-12841	
ļ		Certification	1. screw lock (23mm)	60 Nos
59	(1) Oval type	General.		
	Carabineer	Strength	38 kn (16kn-15kn)	
		Weight	Less than 200gm.	
		Material	Steel.	
		Certification	CE-EN-362	
			screw lock 29mm	
	(2) D- type ste	el General	40KN.	
	Carabineer	Strength		
		Locking system	Auto lock.	
		Weight	Less than 300gms.	
		Certification	CE-EN-362	

1. 54.45

0ر	Rescue litter	General	06 handles and straps for lifting a victim by rope system.	12 Nos
		Material	Nylon/PVC.	
		Width	7.5cms.	
		Length	210mm with body splint strap.	
61	Walking stick	General	Should be made of light weight Steel aluminum.	90Nos.
		Material	03 sections telescopic aluminum alloy pole with carbide/steel tip	
		Length	60-140 adjustable, shock proof with hard steel tip. Rubber hand grip and strap.	
		Weight	Less than 400 gms.	

Total cost in INR = 3.00 Crores (approx.)
Position of funds = Demanded

Additional Pirector General of Police,

Armed, J&K, Jan