

POLICE

Phone/FaxNo:

HEADQUARTERS0194-2443031/ 2443032 (Sgr)
0191-2459029/2459255(J

{Provision Section}

**JAMMU AND KASHMIR SRINAGAR**Website: www.jkpolice.gov.in
Email: phqjk@jkpolice.gov.in**NIT NO. 50 of 2018****Dated; 10.10.2018**

For and on behalf of the Governor of Jammu and Kashmir State, e-tenders are hereby invited from Original Manufacturers or their authorized dealers having proper authorisation of the manufacturer to quote against the tender for the supply of **Security Equipment**, as indicated in the detailed SBD & BOQ. The download of NIT shall start on **10.10.2018 at 1600 hours**. Tenders shall be submitted online on J&K State e-procurement Portal www.jktenders.gov.in before **06.11.2018 upto 1800 hours**.

The tenders (technical bids only) will be opened online on **08.11.2018 at 1100 hours** at Police Headquarters, J&K Gandhi Nagar Jammu. Pre bid Meeting will be held at PHQ J&K Peerbagh Srinagar on **20.10.2018 at 1500 hrs**. In case of unforeseen circumstances, the date of opening will be next working day or else as notified separately. Detailed tender documents with terms and conditions are available on J&K State e-procurement Portal www.jktenders.gov.in.

(Mubassir Latifi) JKPS,

AIG (Provision/Transport)

For Director General of Police,

J&K Srinagar.

No. Prov-II/Sec-07/2018-19/67624-40 Dated :

Copy to the:-

1. Principal Secretary to Govt. Home Department, J&K Srinagar for favour of information.
2. All Addl. Directors General of Police, J&K
3. All Inspectors General of Police J&K
4. Director Police Telecom J&K Srinagar
5. Director Industries Srinagar/Jammu.
6. FA/CAO, PHQ J&K Srinagar

..... for favour of information

7. Manager Government Press Srinagar/Jammu for publication of Amendment in Govt Gazette.
8. SP J&K CID Cell, 11 Harish Chander Mathur Lane Kasturba Ghandhi Marg New Delhi 110001.
9. SSP, PCR Srinagar
10. AIG (Communication) PHQ with the request to arrange publication of Tender Notice in two leading Local and National Dailies through Information Deptt.
11. In-Charge PCS Gulshan Ground Jammu/Zewan Srinagar.
12. SO (E-Tendering) PHQ, J&K, Srinagar for placing the tender on J&K Govt Portal.
13. In-Charge IT Centre PHQ for posting the NIT on the website of J&K Police.

AIG of Police (Prov/Tpt)
For Director General of Police,
J&K Srinagar.

POLICE

Phone/FaxNo:

HEADQUARTERS

0194-2443031/ 2443032 (Sgr)

0191-2459029/2459255(J

**JAMMU AND KASHMIR SRINAGAR**

{Provision Section}

Website: www.jkpolice.gov.inEmail: phqjk@jkpolice.gov.in**e-NIT NO. of 2018****Dated; .10.2018**

1.	For and on behalf of the Governor J&K State, online tenders (e-tenders) are invited from original manufacturers or their authorized dealers, for the supply of Security equipment as specified in Annexure "A" of the NIT . Approved/authorized dealers will attach valid & authenticated copy of authorization of original manufacturer(s), without which tender shall be liable to be rejected.	
2.	The NIT Consisting of Complete information, eligibility criteria, specification, Bill of quantities, (B.O.Q), Set of terms and conditions of contract and other details can be seen/downloaded from J&K State e-Procurement Portal www.jktenders.gov.in from 10.10.2018 from 1600 Hrs and last date of online submission is 06.11.2018 (1800 hours).	
3.	Time/date and place for online opening of tenders.	08.11.2018 at 1100 hours at J&K Police Headquarters, Gandhi Nagar Jammu.
	Validity of tender offer	240 days from the last date of submission of tenders.
	Pre bid meeting	20.10.2018 at 1500 hours at J&K Police Headquarters, Peerbagh Srinagar.
4.	The intending bidders will have to attend Pre-bid meeting to be held at Police Headquarters Peerbagh Srinagar on 20.10.2018 . Bidders shall submit their queries etc at-least 02 days in advance before Pre bid conference. In the Pre bid conference they will be given full opportunity to put their view point regarding specifications etc mentioned in the e-NIT. However, any query etc raised by any bidder after Pre-bid conference will not be entertained.	
5.	<p><u>SAMPLES WHEREVER ASKED SHALL BE AS UNDER:</u></p> <p>I. The tenderers shall ensure that samples submitted by them fully conform all the parameters of the NIT specifications. Date of sample submission shall be decided by PHQ at appropriate time.</p> <p>II. Offers without sample (wherever asked) after stipulated date and time for receipt of the tenders/samples shall not be accepted.</p> <p>III. All samples should have a card affixed to it duly signed and stamped by the firm indicating (a) tender No. (b) Date of opening of tender and (c) name of the item, make and model (wherever applicable).</p> <p>IV. Sample shall be without any kind of marking/sign/symbol/blot/scratch/stain. Samples not conforming to this clause shall be rejected.</p> <p>V. Samples will have to be provided by the technically qualified bidders on short notices for demonstration.</p> <p>Samples of rejected offers shall be collected by their authorized representatives on requisition made on letter head of the firm, duly stamped, signed and attested by the tenderer. In case samples are not collected within the period of rate validity of this tender, the sample will be disposed off without any cost/liability to J&K Police. * *</p>	
6.	All tender documents attached with this invitation to tender including the specifications are SACROSANCT for considering any offer as complete offer. It is important that scanned	

		If approved supplier backs out or fails to supply the goods against supply order within stipulated delivery period ,the department will be at liberty to procure the item from L-2 firm and differential amount between L-1 & L-2 rates will be deducted from the security deposit furnished by the approved supplier and remaining security deposit will be forfeited besides invoking other remedies which shall include black-listing of the firm. If approved supplier supplies the goods partially against supply order within stipulated delivery period, the J&K Police reserve the right to impose liquidity damage charges upto 5% of the un-supplied store upto first 15 days and thereafter penalty can be increased depending upon the nature of supplies and extent of delay. However, period of delivery may be extended at the absolute discretion of J&K Police provided delay is attributable to the reasons beyond the control of the supplier firm but not attributable to business transactions and also delay is communicated in writing justifying the cause of delay. However, extension if any shall be provided without prejudice to the penalty condition.												
10.	On due date of opening of tenders i.e. 08.11.2018 at 1100 hours, technical bids only shall be opened and the Technical evaluation Process will start.													
11.	Rates quoted by the firm(s) should be on firm price basis.													
12.	Firms shall clearly indicate different taxes, duties, charges which they propose to charge as per the format of Bill of quantity (BOQ) available with the e-tender, moreover online generation of financial comparative (BOQ Chart) is of indicative nature only and not conclusive. The detailed financial comparative (BOQ Chart) shall be worked out by the department and information can be uploaded on the website for general information of all the Tenderer.													
13.	TWO BID SYSTEM :- All bidders are required to submit their offers in two covers online as under:- FIRST COVER (Technical Bid) is to be uploaded Online and Scanned Copies in PDF format should contain the following documents:- <table><tr><td>i.</td><td>The tenderer will clearly mention the name of the items for which he has quoted in the covering letter of the tender offer.</td></tr><tr><td>ii.</td><td>Tender documents (viz technical compliance, brochures/catalogues of the quoted items containing Make & model of the items ,OEM/ authorization certificate, registration/existence certificates of the firms / SSI Units & performance etc duly page numbered completed and signed BUT WITHOUT INDICATING THE RATES QUOTED.</td></tr><tr><td>iii.</td><td>Scan copy of the Earnest money.</td></tr><tr><td>iv.</td><td>Scan copy of Tender Fee.</td></tr><tr><td>v.</td><td>Technical specifications of the items quoted with catalogue/broacher etc. & deposition of samples.</td></tr><tr><td>vi.</td><td>Scan copy of test report (wherever applicable) shall be uploaded(Original test report shall also be furnished alongwith EMD and tender fee manually) duly typed(having no overwriting, cutting, alteration),signed, stamped and sealed by the authorised signatory with full name, address, phone/fax no, designation of the authorised signatory. The issue date of latest report shall be older than the date of issue of this tender enquiry. It should be free from</td></tr></table>		i.	The tenderer will clearly mention the name of the items for which he has quoted in the covering letter of the tender offer.	ii.	Tender documents (viz technical compliance, brochures/catalogues of the quoted items containing Make & model of the items ,OEM/ authorization certificate, registration/existence certificates of the firms / SSI Units & performance etc duly page numbered completed and signed BUT WITHOUT INDICATING THE RATES QUOTED.	iii.	Scan copy of the Earnest money.	iv.	Scan copy of Tender Fee.	v.	Technical specifications of the items quoted with catalogue/broacher etc. & deposition of samples.	vi.	Scan copy of test report (wherever applicable) shall be uploaded(Original test report shall also be furnished alongwith EMD and tender fee manually) duly typed(having no overwriting, cutting, alteration),signed, stamped and sealed by the authorised signatory with full name, address, phone/fax no, designation of the authorised signatory. The issue date of latest report shall be older than the date of issue of this tender enquiry. It should be free from
i.	The tenderer will clearly mention the name of the items for which he has quoted in the covering letter of the tender offer.													
ii.	Tender documents (viz technical compliance, brochures/catalogues of the quoted items containing Make & model of the items ,OEM/ authorization certificate, registration/existence certificates of the firms / SSI Units & performance etc duly page numbered completed and signed BUT WITHOUT INDICATING THE RATES QUOTED.													
iii.	Scan copy of the Earnest money.													
iv.	Scan copy of Tender Fee.													
v.	Technical specifications of the items quoted with catalogue/broacher etc. & deposition of samples.													
vi.	Scan copy of test report (wherever applicable) shall be uploaded(Original test report shall also be furnished alongwith EMD and tender fee manually) duly typed(having no overwriting, cutting, alteration),signed, stamped and sealed by the authorised signatory with full name, address, phone/fax no, designation of the authorised signatory. The issue date of latest report shall be older than the date of issue of this tender enquiry. It should be free from													


	any ambiguity.						
vii.	Test report of each sample (wherever asked) shall be completed in all respects						
viii.	Sample tested shall bear the seal of the testing laboratory prominently.						
ix.	Registration certificate/Industrial Licence of original manufacturer, with due validity for the items quoted.						
x.	Certificate of being authorized dealer having proper and specific authorization (as per format provided in Appendix-I) of the original manufacturer to quote against this tender.						
xi.	Authorised dealer having authorisation to quote against this tender, shall furnish his registration certificate with central /state sale tax department for that particular item.						
xii.	Scan copy of the NIT, all pages duly signed & stamped by the tenderer, in token of having understood and accepted the specifications, terms & conditions of the NIT and quoted items should be duly ticked.						
xiii.	Performance statement /turn over for last two years as APPENDIX-III of this NIT.						
xiv.	Acceptance of Warranty/guarantee of the items.						
xv.	Acceptance regarding delivery within the stipulated delivery schedule.						
xvi.	PAN no/GST Registration Certificate. Self attested photocopies thereof be appended.						
xvii.	Scanned copies of income tax returns for the last two years.						
xviii.	Scanned copies of Audited Financial statements (---/balance sheet) for the last two years.						
xix.	VAT clearance certificate up-to 06/2017						
xx.	GST returns upto 03/2018						
xxi.	Check list for tenders as per APPENDIX-III of this NIT.						
xxii.	Any other relevant document which the firms may wish to submit						
14.	<p>SECOND COVER (Commercial/Price Bid) should contain the following:-</p> <table> <tr> <td>i.</td><td>Rate quoted by the firm which should be on firm price basis as per Bill of Quantities (BOQ) of the e-tender to be downloaded from the website and Rates should be carefully quoted offline and then uploaded (Note) J&K Police does not issue Road Permits, Concessional Forms, State Entry Tax or Octroi etc Exemption Certificates, as such; Rate quoted shall be F.O.R Consignee. The Zero basic cost quoted for any item in BOQ will be treated as Nil Quoted</td></tr> <tr> <td>ii.</td><td>Rates quoted shall be final till the validity of the contract with a provision of further extension if finally approved by competent authority.</td></tr> <tr> <td>iii.</td><td>The rates of AMC inclusive of service Tax (applicable after completion of warranty period) shall also be quoted separately.</td></tr> </table>	i.	Rate quoted by the firm which should be on firm price basis as per Bill of Quantities (BOQ) of the e-tender to be downloaded from the website and Rates should be carefully quoted offline and then uploaded (Note) J&K Police does not issue Road Permits, Concessional Forms, State Entry Tax or Octroi etc Exemption Certificates, as such; Rate quoted shall be F.O.R Consignee. The Zero basic cost quoted for any item in BOQ will be treated as Nil Quoted	ii.	Rates quoted shall be final till the validity of the contract with a provision of further extension if finally approved by competent authority.	iii.	The rates of AMC inclusive of service Tax (applicable after completion of warranty period) shall also be quoted separately.
i.	Rate quoted by the firm which should be on firm price basis as per Bill of Quantities (BOQ) of the e-tender to be downloaded from the website and Rates should be carefully quoted offline and then uploaded (Note) J&K Police does not issue Road Permits, Concessional Forms, State Entry Tax or Octroi etc Exemption Certificates, as such; Rate quoted shall be F.O.R Consignee. The Zero basic cost quoted for any item in BOQ will be treated as Nil Quoted						
ii.	Rates quoted shall be final till the validity of the contract with a provision of further extension if finally approved by competent authority.						
iii.	The rates of AMC inclusive of service Tax (applicable after completion of warranty period) shall also be quoted separately.						
15.	<p>Security Deposit :</p> <p>The approved tenderers will have to supply the articles as per approved rate, approved sample and specification till the validity of the contract. They will have to furnish security deposit @ 5% of the total value of the items contracted in the shape of CDR/FDR issued by a Nationalized/Scheduled Bank, at the time of signing of Deed of Agreement to ensure satisfactory performance of the equipment supplied, for Warranty period from the date of acceptance of product. This security deposit will be released in due course after expiry of specified warranty period/agreed contract. The charges on stamps etc. (cost of</p>						

	documents in totality) shall be borne by the supplier while executing the agreement. (No interest shall be paid by the purchaser on the Security deposit). J&K Govt Rules for Security Deposit in respect of local SSI Units shall be applicable.
16.	Guarantee/Warranty Except as otherwise provided in the invitation to the tender, the contractor hereby declares that the goods, stores, articles sold/supplied to the purchaser under this contract shall be of the best quality and workmanship and new in all respects and shall be strictly in accordance with the specifications and particulars contained/ mentioned in the contract. The contractor hereby guarantees that supplied goods/stores/articles would continue to conform to the specifications and quality for a period of 24 months, from the date of acceptance of supplies by the purchaser. If during this , supplied stores/goods/articles be discovered not to conforming to the specifications and quality or not giving satisfactory performance or have deteriorated, the decision of the purchaser in that behalf shall be final and binding on the contractor and purchaser shall be entitled to call upon the contractor to rectify/replace the goods/stores/articles or such portion thereof by the contractor and in such an event, the above mentioned warranty period shall apply to the goods/articles/stores rectified/replaced from the date of rectification/replacement thereof. In case of failure of the contractor to rectify or replace with the goods etc within specified time, the purchaser shall be entitled to recover the cost with all expenses from the contractor for such defective stores by the available means.
17.	Liquidity Damages Successful tenderer shall have to make the supplies within stipulated period as would be mentioned in the supply order. J&K Police reserves the right to impose liquidity damages of 5% of the cost of unsupplied stores which shall depend upon the nature of supplies and extent of delay. However, period of delivery may be extended, at absolute discretion of J&K Police provided the delay is attributable to reasons beyond the control of the supplier but not attributable to business transactions and provided delay is communicated in writing justifying the cause of delay without prejudice to the aforementioned penalty condition.
18.	Conditional tender will not be accepted / entertained. It will be summarily rejected. No other conditions than those mentioned (in the terms set-forth) will be entertained.
19.	Purchaser reserves the right to get the manufacturing capacity of all the firms re-verified irrespective of the registration status or any other document/ information.
20.	Purchaser reserves the right to cancel/reject or scrap the tender, with no consequential liability.
21.	The supplies delivered by the successful tenderer shall be surveyed and verified by the J&K Police at Police Central Stores Jammu/Srinagar, as the case may be.
22.	The PHQ shall have the discretion to send any number of samples from the received supplies from successful bidder for testing to one or more CFSL or NABL/BIS accredited Labs to check its conformity with the approved sample/specifications quoted in the NIT/supply order. In case of variation, the supply will be rejected at the cost and consequences of supplier.
23.	As soon as the acceptance of the tender is communicated to the successful tenderers online, the contract shall be binding on him. The earnest money of the tenderer who backs out or withdraw his tender or fails to abide by it after acceptance thereof is communicated/posted to him shall be forfeited besides other penal remedies that may be available to the Govt. of the J&K under the law for the time being in force in the State of J&K;
24.	The successful tenderer(s) shall have to enter into an agreement on prescribed proforma (immediately after the issue of supply order) with the Department for due performance

	of the contract which shall be invariably furnished before the supply is made.
25.	The tenderer is required to furnish an authenticated copy of VAT clearance certificate up to 06/2017, GST returns up to 03/2018 alongwith the tender offer. The PHQ shall be at liberty to put to scrutiny, verification etc. the Sales tax /VAT/GST clearance so furnished by the successful tenderer.
26.	The authorities reserve absolute powers to reject or accept any tender or part thereof without assigning any reason and without any legal obligations. Any clause incorporated in the tender (not conforming to the NIT in any manner) shall make such an offer liable for rejection. Therefore, all the terms and conditions of the tender Notice including technical specifications shall be carefully studied for the sake of complete and comprehensive tender. Failure to comply with any of the conditions stipulated in the tender or instructions or the offer with insufficient particulars/documents shall lead to out-right rejection of the tender offer.
27.	After the registration/placement of orders/execution of the agreement and formally depositing the security money, in case the tenderer backs out or fails to supply the goods, the security deposited will be forfeited besides any other penal provisions, the department may decide as per norms.
28.	The formal deed incorporating the terms of the contract will be executed by the successful tenderer immediately after receipt of supply order. Failure to execute such bond/deed shall not however prevent the contract from being enforced against the tenderer. Any loss sustained by the Govt. as a result of re-tendering the contract shall be recovered from the defaulter, besides other penal provisions as the department may decide;
29.	Delivery of Goods Goods shall be delivered (as per instructions in supply order) at Police Central Store, Gulshan Ground, Gandhi Nagar, Jammu and Police Central Store, Zewan, Srinagar as the case may be duly packed in perfect condition. The supplier if he so desires may insure the goods against loss or theft, destruction, damages by the natural calamity loss by exposure to weather or otherwise viz war rebellion, riot etc. The insurance charges will have to be borne by the supplier and the department shall not pay such charges;
30.	The tendered quantity is approximate. It can be increased or decreased upto 50% as per the actual requirement of the department which shall be binding on the tenderer.
31.	If the successful tenderer fails to supply the goods of the prescribed specification or fails to deliver the goods within stipulated period as specifically mentioned in the supply order, the department shall be at liberty to arrange supplies by re-tendering or otherwise at the risk and cost of the tenderer. The department shall be lawfully entitled to forfeit the amount of the EMD/security money and take penal action to make good the loss sustained or excess cost incurred by the state in arranging of the supplies and other remedies that may be available with the department, under law.
32.	Either the original manufacturer or his authorized dealer can participate for a particular item or sample(s) only. Tender offers where both original manufacturer and his authorized dealer participate for the same items shall be rejected.
33.	If at any stage of the tender process two or more bidders are found in collusion between /among themselves with the intent to reduce competition, set price, share technical expertise ,share business information/decision ,control/share production and or distribution of products and raise prices ,all such tenders shall be out rightly rejected.
34.	If at any stage of tender process any bidder/s is/are found influencing any Government Servant associated with or handling the tender process and supplies thereof, bid of such tenderer/s shall be rejected besides invoking any other provision available under rules.
35.	All legal proceedings arising out of any dispute between the parties shall have to be settled in the Courts situated in Srinagar and Jammu and not elsewhere;

36.	It shall be incumbent upon the supplier to provide entire supply, in conformity with the approved sample, strictly as per the specifications provided in the NIT/supply order. Supplies found deficient in quality /quantity viz-a-viz supply order shall be rejected. Penalty/damages would be imposed and recovered from the bidder as per terms and conditions indicated in the supply order.
37.	The decision of the accepting authority shall be final as to the quality of stores and shall be binding on the supplier. In case the articles supplied are not according to the approved sample & specifications they shall be rejected and at our absolute discretion, rejected stores may be allowed to be made good by way of replacement. The loss caused due to rejection of the supplies shall be entirely borne by the supplier. The rejected articles shall be lifted by the supplier within one week from the date of rejection. The department shall in no case be responsible for any loss or damage that may occur to the rejected stores while these are in the premises of the purchaser.
38.	The Department reserves the right to add or suitably modify the terms and conditions (without prior notification) as per exigencies and hence above shall not be construed as all inclusive.
39.	Bidders submitting their bids on-line shall only be accepted and manual bids shall be rejected and no document other than mentioned in the NIT shall be accepted manually.
40.	PHQ may call any bidder at any stage of the tender process for seeking any clarification.
41.	Queries /representations on tender enquiry should be received upto pre-bid conference or within 10 days from the date of publication of this tender enquiry (whichever is earlier) would be entertained .All queries/representations received after pre bid conference would not be entertained.
42.	The bidder should furnish an undertaking APPENDIX-II of this NIT stating that he /she is not connected in any manner with any other bidder in this tender with respect to manufacturing ,distribution, supply, in sharing business information/documents price of the item etc. for the items quoted in this bid. If this is found to be incorrect, his/her tender would be rejected.
43.	The interested bidders should indicate the AMC cost, year wise beyond the period of comprehensive warranty in absolute terms i.e total amount, all inclusive, break up of applicable taxes to be given. Moreover in case of imported equipment or major components thereof if imported, the bidder must furnish a copy of 'Certificate of Import' together with a certificate from Principal Manufacturer of such equipment, components that the product's performance as stated above is tested in accredited lab and guaranteed with full support for service, maintenance etc be provided for at-least 05 years.
44.	If required, the short listed tenderers will have to arrange for the Ballistic/Technical or field/Practical demonstration of the Equipment/s at their own cost at the place and date to be fixed by the Authority. The shortlisted firms will be required to provide sample(s) for conducting practical demonstration or ballistic testing. The bids of such short listed bidders, who do not arrange / participate in the demonstration even after being asked by the purchaser or will not deposit required number of samples shall be liable for rejection.
45.	Remittance charges (Bank Commission) on payment made to the firms will be borne by the suppliers. The charges of stamp etc. shall be paid by the supplier while executing the agreement;
46.	The supplier shall not sublet the contract or any part thereof to any other agency without the concurrence of PHQ J&K.
47.	The Department reserves the right to add or suitably modify the terms and conditions (without prior notification) as per exigencies that may arise for one or the other reason.
48.	All pages of technical/pre qualification documents must be clearly page marked at the bottom (center) of each page before scanning the same and uploaded to e tendering

	portal.
49.	No duplicate documents/ pages shall be uploaded by the bidders against e NIT.
50.	Documents to be scanned, converted to pdf format and subsequently uploaded to the portal, must be scanned at 200 DPI (dots per inch) resolution/scale.
51.	Tender fee and EMD documents must be scanned and placed in separate pdf files.
52.	Bidders are advised not to upload any irrelevant/un-necessary document against e NIT.
53.	The detailed NIT, SBD and BOQ is available on J&K State e-Procurement portal www.jktenders.gov.in . In case of any clarification, please contact Telephone Numbers 0194-2443031, 0191-2459029 (F), 0194-2443032, 0191-2459255 e-mail; phgik@jkpolice.gov.in


 (Mubassir Latifi)
 AIG of Police (Provision/Tpt),
 For Director General of Police,
 J&K-Srinagar.
 09/12/18

APPENDIX-1
FORMAT OF MANUFACTURER'S AUTHORIZATION LETTER/CERTIFICATE

To,

The Director General of Police,
J&K, Jammu.

Subject;- _____

Sir,

Please refer to your tender enquiry (e-NIT No. _____ of 2018 Dated _____ .10.2018)

1. We _____ who are proven and reputable Manufacturers/dealers of _____ (name and description of the goods offered in the tender) having factories at _____ hereby authorize M/s _____ (name and address of the agent) to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred tender enquiry documents for the above said goods manufactured by us.
2. We further confirm that no supplier or firm or individual other than M/s _____ (name and address of the above agent/dealer) is authorized to submit a tender, process the same and enter into contract with you against your requirement as contained in the above referred tender enquiry documents for the above said goods manufacture by us.
3. We also hereby extend our full warranty, CMS/AMC support as per the conditions of contract, read with modifications, if any, in the special conditions of contract for the goods and services offered for supply by the above firm against this TE document.

Yours faithfully,

Signature with date, name and designation

For and on behalf of M/s _____

(Name and address of the Manufacturer)

Note;-

1. This letter should be on the letter head of **the manufacturing firm** and should be signed by the person who is competent having the power of attorney.
2. Scan copy of the original letter must be attached with tender documents.

SIGNATURE OF THE TENDERER

APPENDIX-II

Reference e.NIT No. (e-NIT No. _____ of 2018 Dated _____ .10.2018)

To,
The Director General of Police
J&K, Jammu.

Sir,

1. I _____ hereby state that I am not connected in any manner with any other bidder in this tender with respect to manufacturing distribution, supply, in sharing business information/documents and price of the items etc. quoted in this bid.
2. I further state that if this is found to be incorrect, the police department is at liberty to reject my tender.

Yours faithfully,

Signature with date, name and designation

For and on behalf of M/s _____

(Name and address of the Tenderer)

Note:-

- a. This undertaking should be on the letter head of Tenderer and should be signed in person by the tenderer.
- b. Scan copy of the original letter must be attached with tender documents.

SIGNATURE OF THE TENDERER.

APPENDIX-III

Performance statement for last two years

Name of the firm	
Description of stores	
Quantity on order	
Value	
Original D.P	
Quantity supplied within original D.P	
Final Ext D.P	
Last supply position.	
Reasons for delay in supplies (if any)	

Signature of Tenderer

APPENDIX-IV

General instruction/CHECK LIST FOR TENDERERS;

Before submission of tender documents, the renderers should check whether they have complied with the following requirements of otherwise:-

S. No.	Requirement to be checked before submission of tender	Complied (Please indicate YES or NO after complying with the requirement.
1.	The tenderers for their own ease shall fill in relevant details of NIT offline & upload the same after ensuring accuracy	
2.	Whether tender fee scan copy is enclosed, with the technical bid?	
3.	Whether Earnest Money Deposit (EMD) scan copy is enclosed with the technical bid?	
4.	If an SSI Unit, the same is indicated in the tender and scan copy of valid registration certificate with installed capacity per month is enclosed or not?	
5.	Whether monthly manufacturing and supplying capacity is mentioned in the tender document or not?	
6.	Whether scanned copy of copy of complete tender documents are up-loaded in the technical bid duly signed having official seal on all pages or not?	
7.	Whether tender documents are submitted in two bid system I.e. Technical and Financial Bids separately as per tender enquiry or not?	
8.	If called for in tender enquiry, whether tender sample conforming to the specifications has been deposited with Central Store Jammu/Srinagar (as provided in tender enquiry)?	
9.	Whether offer validity as required in tender enquiry is accepted and indicated in your tender document or not?	
10.	Whether terms of delivery and period as required in tender enquiry is accepted and indicated in your tender document or not?	
11.	Whether payment terms as required in the tender enquiry is accepted and indicated in your tender document or not?	
12.	Whether compliance statement in the format as required in tender enquiry is enclosed with the supporting technical documents/proof, Lab test etc for each point/parameter or not?	
13.	Whether compliance statement for last 2 years as required in tender enquiry in the format is enclosed or not. If not, reason thereof is given?	
14.	Whether warranty period as required in the tender enquiry is accepted or not?	
15.	Whether details of AMC condition after warranty period is included in the price bid	

	or not, if required in the tender enquiry?	
16.	<p>(a) Status of renderer as to whether manufacturer or Manufacturer's authorized agent is indicated in your tender document. If authorized agent/dealer, valid authority letter for the stores offered from the manufacturer is enclosed or not.</p> <p>(b) If an Indian agent of foreign Principal, whether your firm enlisted with DGS&D under compulsory enlistment scheme or not. Copy of valid DFS&D enlistment certificate as Indian agent of Foreign Principal is enclosed or not. If not, reason thereof is given in your tender document or not?</p>	
17.	If called for in T.E whether free training about use of equipment after supply, is accepted or not.	
18.	Whether indicated in the tender document, if your firm's business dealings is banned by any Govt/private agency or recommended for blacklisting or not?	
19.	The complete commercial quote should be in Indian Rupees only. Currency of price should be clearly mentioned (wherever applicable).	
20.	Entry Tax/Octroi/Toll Tax and other Statutory Taxes will be applicable at actual, if admissible.	
21.	Tenderer will attach justification of price quoted which should include the recently executed contracts of the store in question with Govt/Semi Govt Organizations etc.	
22.	No column should be left blank. Wherever amount is not quoted, the column should be clearly marked as "Nil".	

Annexure “A” of NIT No. of 2018 dated .10.2018

Item -1	Bomb Disposal Suit
	QRs
The suit should consist of the following items which collectively make a complete garment	
1.	Jacket with collar, chest and groin plates
	Trousers adjustable and back protector
	Boot protector/ over shoes
	Helmet with EOD and Breathing Apparatus Visors
	Hand Gloves
	Transit Bag
	Integrated Groin Protector (IGP)
	Hydration Bag
	Complete cooling suit
2.	The suit protection figures should be for the NATO Stanag 2920 or MIL standard 662F, 17 grain fragment simulator –V-0 (Firm to submit lab test report from National/International accredited lab).
	Front chest – 1800 M/Sec or better
	Front Groin- 1800 M/Sec or better
	The suit protection performance figures should be for the NATO Stanag 2920 or MIL standard 662F, 17 grain fragment simulator – V-50 (Firm to submit lab test report from National/International accredited lab).
	Sleeves Front- 560 M/Sec or better
	Collar Front – 850 M/Sec or better
	Trousers Front thighs – 690 M/Sec or better
	Trousers Front shins – 620 M/Sec or better
	Boot Cover – 450 M/Sec or better
3.	Cooling Suit
	The fabric should be washable.
	The heat removal rate should be atleast 270 watt (full suit) or better. (Firm to submit lab test report from International reputed lab).
	Should enable the operator to wear it comfortably for minimum of 30 minutes with ambient temperature at 35 degree or more.
	The pump should be operable by a dry/rechargeable battery.
	Should be available in different sizes to suit users requirement.
	A second water/ice bottle should be supplied for stand by.
	The cooling source should be ice and water
4.	Ballistic EOD Helmet protection performance. (Firm to submit lab test report from International reputed lab).
	V-50 (Helmet) 600 M/Sec or better
	V-50 EOD & BA (Visor) 700 M/Sec or better
	Weight with EOD & BA visors not more than 8.50 Kgs
	The system should have an arrangement to accommodate full face mask inside the visor for breathing in an NBC environment.
	Ventilation and Demisting; A helmet mount fan should provide effective ventilation and replaceable demisting arrangement with control unit within easy reach of the user.
	Environment awareness; The helmet should have built in microphone for operator to hear all the conversation taking place in the vicinity.
	Two way Communication ; It should provide a two way communication whether on radio or wired between operator and officer in charge up to a distance of 100 meters.

	(Wired communication being optional depending on user requirement).
	Search Light; The helmet must be fitted with a search light mounted on the visor for working in dark conditions.
	Live Video Camera ; Helmet must have an integrated facility into its visor for live video transmission to a command post located at a distance of 200 mtrs LOS and 100 mtrs in BUA. (Non line of sight).
	The system must have voice activated, hands free controls of electronic features including light, audio levels, ventilation and demisting. However these electronic features should also be operated through a separate console ergonomically located on suit.
5.	Jacket;
	Immediate removal /quick release of the jacket should be achieved.
	The jacket should have an arrangement for keeping working tools.
	All soft ballistic pouches must be removable in order to maintain outer shell.
6.	Trousers
	The trousers should be adjustable catering for different sizes.
	Immediate removable/quick release of the trouser should be achieved.
	Back protector should be fitted to the trouser
	Trouser boot should be adjustable and also removable
7.	Power Pack
	A rechargeable power pack should be suitably placed
	It should have battery level indicator
	Recharging; A suitable recharger should be provided for rechargeable power pack.
8.	Weight
	The complete weight of the suit along with complete accessories should not exceed 33 Kgs
	Overall operating weight including helmet, cooling suit, complete suit, communication support and live audio video system etc should not exceed 50 Kgs
9.	Back Bone protection
	The suit should provide a high impact back bone protection arrangement (firm to submit lab test report from National/International accredited Lab)
10.	Operational time
	It should not take more than 10 minutes to wear the suit with all accessories when assisted by a trained technician.
11	Static Discharge :- The bomb suit should have protection against static charge.
12	Miscellaneous :- The firm should be able to provide the following as applicable alongwith the equipment.
	Sets of all kinds of spare rechargeable batteries used in suit, cleaning kit.
	SMT (Special maintenance Tools, if any).
	Training Aids, charts, slides, training brochure, training work model, blow up diagram, video films etc, if any
	Physical training in India
	Proof schedule to include details of inspection and acceptance criteria
	Technical Manual in English giving full description of the item
	User book in English
	Literature on preservation/maintenance in English
	Specification for packing, handling, transportation/storage
	Details regarding periodical inspection by the user.
13.	Validity and authenticity of lab test reports and certificates
	OEM to provide the latest lab test reports from a National/International accredited Lab. The OEM should also confirm that no product changes related to ballistic rating/testing or material have taken place since the last test.
	All the test reports and certificates must invariably have the name, address, web site, e mail address and contact numbers of the testing agencies/lab. There should also be a point of contact provided for each testing lab.

Item -2	Pole Type Walk through Metal detector
1.	Should be able to detect cell phones that are ON and OFF, dangerous weapons, blades, radio receivers, transceivers and other contraband items.
2.	Should be compact and portable and provides non intrusive full body scans.
3.	Should scan upto 40 individual per minute without contact and intrusion
4.	Should be wall mounted and set up by one person.
5.	Power supply : Powered by AC battery backup up-to 7 hrs
6.	Should have two units : i) Sensor unit ii) Base unit
7.	Weight of sensor unit should not be more than 9 Kg
8.	Weight of base unit should not be more than 9 Kg
9.	ABS single pillar panel with pedestal. Remote controlled audio visual display with in range of 20 feet.
10.	Should work on power supply AC 90 to 260 Volts on AC with automatic switch to DC mode (in case of power failure). Minimum operability on DC (rechargeable batteries) for 10 hours is desirable.
11.	Should have pre programmed sensitivity settings with fine tuning.
12.	Should have low battery indicator.
13.	Should detect ferrous, non ferrous materials and their alloys, ferrite rods and all materials concealed in ferrite rods.
14.	Should have auto tuning setting/variable sensitivity settings.
15.	Should not be effected by opening/closing of a metallic gate in the vicinity.
16.	Counter for automatic scanning.
17.	Water proof switch and audio setting.
18.	Audio alarm with adjustable volume. At-least three tunes for different size of metals and different tunes with colour LEDs indication. Separate LED indication for ferrite detection.
19.	Operating temperature : 10 to 50 degree centigrade
20.	Should work in rainy season, inclement weather.
21.	Test report from Govt Lab/ NABL
22.	Comprehensive warranty (replacement, inclusive of batteries) for minimum 02 years. Service support / spares back up for 05 years after warranty period. Experience in the field of metal detectors for last 05 years in Govt sector.
Item -3	IR Optical Fibro Scope
1.	Should provide pistol grip one hand operation
2.	Should have convenient on/off switch for IR
3.	Probe should be semi flexible and its effective working length not less than 3 Mtrs.
4.	Probe diameter should not be more than 6.4 mm with tungsten braid
5.	Should have advance image sensor with resolution not less than 3,50,000; pixels
6.	Size of lens should not be less than 2.1 mm
7.	It should have 8X Digital Zoom facility
8.	Size of hand held TFT LCD Monitor should not be less than 4.3"
9.	Should have mechanical joystick to provide 360 degree bending operation
10.	Filed of view shouldnot ne less than 60 degree
11.	Depth of Filed should be forward
12.	Should be capable of recognizing a human target up to a distance of 3 meters or more in pitch darkness and day light
13.	Light source should have Eye safe Infra Red, Invisible to naked eye
14.	Should work on AC Power supply without inserting the battery
15.	8 GB SD Card should be provided for storage facility
16.	Recording time should not be less than 2 hrs
17.	Resolution of image should not be less than 640 * 480 pixels (JPG)
18.	Resolution of video should not be less than 640 * 480 pixels (AVI) 15 – 30 fps

19.	Should work on temperature range – 10 degree Celsius to +50 degree Celsius
20.	Operating time should not be less than 2 hrs. With AA Battery
21.	Weight without battery should not be more than 590 G and with hard carrying case it should not be more than 3 KG.
22.	It should have Audio function
23.	Should work on DC 5V (4AA)
24.	Should have separate Infra red light source for clear image
25.	Working hours should not be less than 2.30 hrs.
26.	Handle and light panel should be designed as detachable.
27.	Probe should be liquid Resistant
28.	Direction of View should be forward
29.	Warranty 02 years


Item -4 Throwable Robot		
1.	Usage	The robot device should be throwable , rugged , compact , light weight (hand carried) to be deployed in extreme conditions like indoors, out doors& disaster zones to navigate for investigation purposes
2.	Weight	Max 10 kgs
3.	System contents	Robot, power supply, cables and accessories, carrying case, documentation
4.	Dimensions	Should be hand carried & should have Ability to traverse and inspect the undercarriage of most motor vehicles
5.	Run time	1 – 2 hours
6.	Military standards	Ruggedized, IP65
7.	Throwable	Approx. 10 feet high & 30 feet distance
8.	Two way audio	Integrated microphone and speaker
9.	Cameras & Vision	Should have Day and night Color HD camera with optional Onboard thermal Camera White and NIR LED Design for stealth night capabilities
10.	Operating range	Should have an operating range of 700 ft (200m) Line Of Sight which can be controlled by smartphone, tablet , PC ,etc
11.	Mobility	Up to 3 mph (5 km/h) variable speed controls, zero radius turn, slopes 40° Good mobility through sand, gravel, grass
12.	Expansion	Payload port & Picatinny rail

Item-5 X ray Baggage Scanner Large Size	
1.	X Ray baggage Scanner Technology should be based on Dual energy based isometric X-Ray imaging.
2.	The Baggage scanner should produce isometric view (virtual 3D view) of the objects scanned to have more detailed information, which are not visible in traditional single view baggage scanners, which generates only the top or bottom (2D) view of the scanned objects
3.	Machine should generate the images in such a way that the depth of any scanned object can be visualized appropriately to further analyze the details of the object inside a baggage for better identification of harmful objects like Gun/Knife etc.
4.	Tunnel Size - 100 cm W (width) x 100 cm H(Height) +/-10%
5.	Conveyor belt speed should be between 0.18 and 0.3 meter per second. Conveyor movement bidirectional.

6.	All machines should operate on 230 VAC, 50 Hz power supply and should be able to withstand voltage fluctuations in the range of 170V to 260 V. Single Phase, 3 to 5 Amp.
7.	Conveyor Capacity- 200 kg or more
8.	Sensors > 1000 diodes, L-shaped detector (Folded array type), In case of defective diode arrays, scanning should be disabled and error message should be displayed on the screen.
9.	X-Ray Voltage - 140 KV or more
10.	X-Ray Source/Generator – It should be capable to operate smoothly for a period of at least six years.
11.	Duty Cycle - 100%
12.	Cooling - Sealed oil bath
13.	The X-ray beam divergence should be such that the complete image at maximum size of bag is displayed without corner cuts.
14.	The radiation level should not exceed accepted health standard (0.1m R/Hr at a distance of 5 CM from external housing). Relevant certificate from AERB.
15.	The operating temperature should be -10 deg C to 50 deg C.
16.	Storage temperature -20 degree C to 50 degree C.
17.	Humidity- 90% non-condensing
18.	Resolution: The machine should be able to display single un-insulated tinned copper wire of 40-SWG or 36 AWG. All penetration and resolution condition should be met without pressing any functional key and should be online.
19.	Penetration should be 26 mm thickness of steel (Guaranteed) or more.
20.	Continuous Electronic Zoom facility should be available to magnify the chosen area of an image eight times (8X) or more. Image features shall be keyboard controllable.
21.	Video display - 19" LCD Monitor or 19" CRT monitor SVGA High resolution, low radiation, flicker free, resolution at least 1280 x 1024, 24 bit colour real time processing.
22.	The machine should have features of Multi-energy X-ray imaging facility where materials of different atomic number will be displayed in different colours to distinguish between organic and inorganic materials. With this method to distinguish high density organic materials including explosives. Machine should have variable colour or materials stripping to facilitate the operator to monitor images of organic materials for closer scrutiny. All suspicious items (Explosives, High density, material narcotics) should be displayed in one mode and that should be on line.
23.	Radiation Safety:- The machine must comply with requirements of health and safety regulations with regard to mechanical electrical and radiation hazards. Before installation of the machine, the supplier/ manufacturer should furnish relevant certificate from Atomic Energy Regulatory Board of India regarding radiation safety. The company manufacturing the equipment should have ISO certification for manufacturing and servicing of X-ray Screening machines.
24.	Film Safety:- Guaranteed safety for high-speed films up to ISO1600. The machines should be film safe. In other words photographic films must not be damaged due to x-ray examination.
25.	Machine should be rodent protected. Dust proof cover is to be provided for covering when system is not in use.
26.	Facility for variable contrast must be incorporated to allow enhancement lighter and darker portion of the image.
27.	The machine should be so designed that software enhancement can be easily implemented to take care of new technique in image processing and pattern recognition.
28.	Through put should be 200 bags per hour or more
29.	Full diagnostic built in test facility. All models should have software controlled diagnosis report facility and system should give printout if printer is connected.
30.	All software features of machine should be online and password protected.
31.	Machine should be capable for recalling 15-20 previous images,
32.	It should have the capability of archiving 2000-3000 images with date & time stamp.
33.	Control desk with security housing and locking provision should be available. The operator personal identification number can be entered the keyboard along with generation of log.

34.	Facility of image enhancement should be available.	
35.	All models should have online recording facility and images can be recorded in CD R/W.	
36.	Lead impregnated safety screens should be available at either ends of the tunnel. This should be covered by relevant AERB certificate. Idle rollers to be provided at either ends of the tunnel to facilitate placing of baggage at input and output.	
37.	System should work on one software only. All software features should be controlled from key board of machine only. Keyboard function should be user friendly. To enable/disable the software features system should not be rebooted	
38.	If the machine fails to penetrate a particular item then an alarm video and audio both should be generated to notify the operator	
39.	The threat image projection (TIP) system software to be incorporated in all X-Ray BIS operation as per details given in Annexure-I.	
40.	Copy of all software including X-Ray Software with recovery CD must be provided.	
41.	Operational Training- Operating staff has to be provided free training.	
42.	One operating & service manual shall be provided with each machine.	
43.	Other Features Edge & variable edge enhancement. Inverse Video Set up time not more than 10 minutes. Pseudo colour Date & Time display.	
44.	Minimum Computer configuration: - 1. CPU : 2. Motherboards : 3. Bus Architecture : 4. Memory : 5. Hard Disk Drive : 6. Mouse : 7. Bays : 8. Ports : 9. Cabinet : 10. DMA : 11. CD-R/RW Drive : 12. Networking facility : 13. Operating system : 14. OS Certifications : 15. Power Management : 16. Preloaded Software :	Intel V Pro Configuration: Intel Core 2 Duo 6300, 1.86 GHz, 2 MB L2 cache And 1066 MHz FSB. Intel Q 965/Nvidia chip set, 7025 or better on OEM Motherboard. Integrated Graphics, 2 PCI, 1 PCI Express x 1 and 1 PCI Express x 16. 2 x 512 MB 533 MHz DDR2 RAM with minimum 4 total DIMM slots. 160 GB 7200 rpm serial ATA HDD. Optical 4 Nos. (2 Nos. 5.25 inches for Optical Media Drives and 2 Nos. 3.5 inches for Hard Disk Drives.) 6 USB Ports (with at least 2 in Front), 1 Serial Port, 1 Parallel port, 1 PS/2 Keyboard and 1 PS2 Mouse Port, audio ports for microphone and headphone in front. Mini tower. DMA 2.0 compliance and support. CD Writer. 10/100/1000 on board integrated Network Port with Remote booting facility remote system installation, remote wake up, out of band management using any standard management software. Windows Vista Business Or Linux (REDHATELS or FEDORA8 or any other latest version) preloaded with Media and Documentation and Certificate of Authenticity. Win Logo Vista Business OS or Linux Certifications. Screen Blanking, Hard Disk and System Idle Mode In Power On, Set up password, Power Supply SMPS Surge protected. Norton, McAfee, ETrust or equivalent Antivirus (Latest Version) with one year License.

45.	UPS: - 3 KVA online with back-up time of ½ hour.	
46.	03 KVA Automatic Voltage regulator with isolation transformer 90-260 Volt.	
Item – 6	Portable Spectrum Analyzer (01)	
1.	Application	Cellular, PCS, 2G, 3G,4G, CDMA, GPRS, EDGE, W-CDMA, TDMA, Blue Tooth, WIMAX, Trunking, WLL and WLAN.
2.	Frequency range	100 MHZ to 3.6 GHz
3.	Frequency resolution	1HZ
4.	Reference Aging	+ - PP m/year
5.	Frequency uncertainty	+ - 1PPm
6.	Temperature Drift	+ -1PPm/C-
7.	Data points	705displayed
8.	Spectral purity	- 85 Dbc@ 30KHz
9.	Sweep time	22s, full span : 1 ms, zero span
10.	Resolution bandwidth	100Hz to 1MhzRBW
11.	Video bandwidth	10Hz to 300 Khz VBW
12.	Amplitude Accuracy	+ - 1.0db type, + - 15db max
13.	Dynamic range	66db, intermod- free
14.	Noise floor	-135dbm DANL
15.	Attenuator	0,10,20 or 30 db : Internal
16.	Pre Amplifier	+24 Db gain, Internal
17.	Single Button ACPR	Occ BW, Channel power, Field
18.	Measurement Demod, C/1	Strength, AT/FM
19.	Display	TFT x 600 Pixels or better, full color display for indoor or outdoor viewing.
20.	Battery	5 hr back up or better, field replacement
21.	CE Compliant	Yes
22.	Saved Trace Storage	300 or better internal, 80,000 USB Drive or better
23.	Warranty	Comprehensive warranty (replacement inclusive of (batteries) for minimum 02 years.


 (Mubassir Latifi)
 AIG of Police Provision/Tpt,
 For Director General of Police,
 J&K-Srinagar.
 09/10/18